


TURN YOUR WASHROOM INTO A SHOWROOM WITH THE NEW ASI

Welcome to the new ASI—the world's leading manufacturer of commercial washroom accessories. So what makes ASI so unique? For starters, we offer the most comprehensive selection of washroom accessories available anywhere. And we offer them from one source. We design, engineer and manufacture all of our products to work together seamlessly. Welcome to choice, welcome to innovations, welcome to the new ASI.

How to use this brochure:

This brochure offers three ways to navigate our comprehensive portfolio of washroom accessories:

- Navigate by collections—a family of complementary-designed products, see pages 6 & 7.
- Navigate by specific product category, see pages 8 & 9.
- Navigate the index by product category or model number, see pages 94 & 95.





A wide variety of – baby safe solutions

Endless options in lockers
A wide range of colors and
materials including steel,
solid plastic and phenolic.

Tested with up to 350 lb. load capacity—the highest in the industry.

SO WHY CHOOSE US? THE ANSWER IS SIMPLE

Only ASI designs, engineers and manufactures fully integrated washroom accessories, partitions and lockers from one source.

From towel — dispensers to hand dryers and much more

ASI offers the largest collection of hand dryers, paper towel dispensers and washroom accessories in the industry.

No other manufacturer can do it all—it's that simple

Only ASI offers the most complete collection of products for the modern washroom.

2 Stability—peace-of-mind one warranty

Why juggle multiple manufacturers' warranties when you can have just one? With ASI you have the peace of mind that comes with dealing with a leader.

The industry's most cutting-edge soap dispensers

From single dispensers to multi-feed systems, only ASI offers the easiest soap dispensers to install and maintain.



complex, an architect wanted a

specific product. We customized

one-of-a-kind soap dispensing

systems to meet their deadline.

and delivered hundreds of

The latest collection of partitions

ASI offers the most comprehensive collection of plastic, plastic laminate, powder coated, phenolic and stainless steel partitions from one source.

48-hour delivery no one beats that


We are laser focused on delivering you exactly what you need—when you need it. Visit americanspecialties. com and view our Never Out Program.

FOUR DISTINCT COLLECTIONS TO MATCH ANY AESTHETIC AND PERFORMANCE NEED



1 **Roval**™ Collection

This elegant, durable and exceptionally functional collection is engineered for high-profile settings. Subtle curves, one-piece seamless doors and flush tumbler locks, along with fully removable waste cans, strong hinges, an integral locking system and easy installation, make this collection ideal for the most aesthetically demanding applications.



2 Profile Collection

This visually appealing collection with rounded edges is manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavy-duty 3/16" (5 mm) diameter piano hinges ensure smooth and long-lived operation, and rimless keyed-alike flush tumbler locks offer strong security with an elegant look.

While ASI offers hundreds of individual accessories, we have simplified the specifying process with our four distinct collections to serve your project's individual needs.

And each of our four collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new ASI.



3 Simplicity Collection

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavy-duty $\frac{3}{16}$ " (5 mm) diameter piano hinges. All units are keyed alike.



4 Traditional Collection

The traditional collection has easily passed the test of time. These high-value products feature 22 gauge double-pan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty %16" (5 mm) diameter piano hinges and keyed-alike tumbler locks complete this broad product line.

WELCOME TO THE SINGLE LARGEST COLLECTION OF WASHROOM ACCESSORIES ANYWHERE—BAR NONE

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to the new ASI.



Hand Dryers



P. **56**

Specialty Accessories



Soap Dispensers



Feminine Hygiene Vendors and Disposals



Toilet Tissue Dispensers



Our PaperTowel Dispensers, Waste Receptacles and Combination Units can be found within our four collections on pages 10–41.



Grab Bars




Shower/Tub Accessories



Baby Changing Stations



Shelves



Custodial Accessories



Healthcare Accessories



Hospitality Accessories



Security Accessories



Roval[™] Collection

Engineered for high-profile settings, this collection adds elegance, durability and exceptional functionality to any washroom without becoming the focal point.


This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed and easily maintained.

WHAT MAKES THE ROVAL™ COLLECTION UNIQUE?

18-22


STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stain-resistant and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

ROVAL™ COLLECTION



MANUAL AND AUTOMATIC PAPER TOWEL/TOILET TISSUE DISPENSERS



MIRRORS



AUTOMATIC HAND DRYERS





204623 RECESSED PAPER TOWEL DISPENSER AND REMOVABLE WASTE RECEPTACLE

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge type 304 stainless steel door in a satin finish with a flush lock and a heavy-duty $3/6^{\circ}$ staked piano hinge on door.

MODEL OPTION:

204623-9 Surface mounted with 9" stainless steel collar.

 $\begin{array}{lll} \mbox{\bf Unit Size:} & \mbox{\bf Wall Opening:} \\ 12^3 \mbox{$|_1$} \times 28^{\circ} \times 6^{1} \mbox{$|_2$} & 111 \mbox{$|_4$} \times 26^{7} \mbox{$|_6$} \times 3^{15} \mbox{$|_6$} \\ (325 \times 710 \times 165 \mbox{ mm}) & (286 \times 672 \times 100 \mbox{ mm}) \end{array}$

20469 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge type 304 stainless steel with a heavy-duty $\% \epsilon''$ staked piano hinge.

MODEL OPTION:

20469-9 Surface mounted with 9" stainless steel collar.

 $\begin{array}{lll} \textbf{Unit Size:} & \textbf{Wall Opening:} \\ 17^3/s" \times 56^1/_{16}" \times 9" & 15^5/s" \times 54^3/s" \times 4" \\ (441 \times 1424 \times 228 \text{ mm}) & (397 \times 1381 \times 102 \text{ mm}) \end{array}$





204692A AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge type 304 stainless steel. 17.8 gal. (67.2 L) removable waste receptacle. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Unit Size:

 $17^3/8$ " $\times 56^1/_{16}$ " $\times 11^{11}/_{16}$ " (441 x 1424 x 297 mm)

Wall Opening: $15^{13}/_{16}$ " \times $54^{11}/_{16}$ " \times 10" (402 x 1389 x 254 mm)

2046921A RECESSED AUTOMATIC ROLL PAPER **TOWEL DISPENSER AND WASTE** RECEPTACLE FOR ADAAG COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Internal shelf is ideal for paper towel storage. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Unit Size:

17³/s" × 56¹/₁₆" × 11¹¹/₁₆" (441 × 1424 × 297 mm)

Wall Opening: 15¹³/₁₆" x 54¹¹/₁₆" x 10" (402 x 1389 x 254 mm)





20826 SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge type 304 stainless steel with satin finish. Capacity 12.8 gal. (48.4 L).

MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.8 L).

Overall Dimensions:

15¹/₈" x 23" x 8¹/₂" (384 x 584 x 216 mm)



20458 SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance-removable stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Fabricated of 20 gauge type 304 stainless steel with satin finish.

Overall Dimensions:

17³/₈" x 27³/₄" x 8¹⁵/₁₆" (441 x 705 x 227 mm)



20852 SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty %4" multi-staked concealed piano hinge. Cabinet front is formed seamless and capacity of the unit is 1 gal. (3.8 L).

Overall Dimensions:

7¹/₄" x 10" x 3¹/₂" (185 x 253 x 89 mm)



20470 RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty $\ensuremath{^{9}\!\!/_{64}}\xspace"$ staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

Overall Dimensions: 12¹³/₁₆" × 11" × 5⁷/₁₆" (325 × 280 × 138 mm)

ROVALT COLLECTION



20452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge type 304 drawn one-piece stainless steel with satin finish. Door secured with 3%6" staked piano hinge and flush tumbler lock.

Overall Dimensions:

12³/₄" x 28" x 5⁷/₁₆" (324 x 711 x 137 mm)



204523A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish. Towel length is determined by owner by setting length, delay and paper saver switches.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). **AC:** Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Overall Dimensions:

17³/₈" x 27³/₄" x 11¹¹/₁₆" (441 x 705 x 297 mm)



20210 PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge type 304 stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

Overall Dimensions:

11¹/₁₆" x 13⁹/₁₆" x 4⁷/₈" (281 x 345 x 124 mm)



20030 SURFACE MOUNTED TWIN HIDE-A-ROLL TOILET TISSUE DISPENSER

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Type 304 satin finish stainless steel cabinet and mechanism. Theft-resistant spindles with integral plated steel endpins.

MODEL OPTION:

20031 With flange for surface mounting.

Overall Dimensions:

 $6^{1}/_{16}$ " x $12^{1}/_{8}$ " x $6^{1}/_{2}$ " (154 x 308 x 165 mm)





9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

Closed: Open: 37" x 251/2" x 173/4" 37" x 25½" x ¾" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening: 34½" × 22¾" × 3¾" (870 × 578 × 95 mm)





9343 HORIZONTAL SURFACE MOUNTED **SOAP DISPENSER**

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

 $7^{1}/_{4}$ " \times $6^{1}/_{2}$ " \times $3^{11}/_{16}$ " (184 \times 165 \times 94 mm)

Spout Projection: 15/16" (24 mm)



204684 RECESSED DUAL SANITARY NAPKIN AND TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door has 18 gauge type 304 satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25ϕ , 50ϕ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION:

204684-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

17⁵/₁₆" x 27³/₄" x 5⁵/₈" (440 x 705 x 143 mm)



20477-SM SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions:

15³/₄" x 11" x 2³/₈" (400 x 280 x 60 mm)

ROVAL COLLECTION



20199 ROVAL™ RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Decibel Level: 69 dB-A @ 2M







20200 TRI-Umph™ HIGH-SPEED HAND DRYER

Satin look cover: ABS plastic with silver ions. Ergonomic—no need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty. Optional voltages available.

MODEL OPTION: 20201 White finish.

Decibel Level: 65-69.8 dB-A @ 2M





20655 ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge type 304 stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION:

20650 Mirror without shelf.



20692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge type 304 stainless steel, the 6" wide shelf has a 3/4" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval TM Collection. Choice of sizes.

Overall Dimensions:

6" x 12"-72" (152 x 305-1829 mm)



Profile Collection

Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time.


Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.

WHAT MAKES THE PROFILE COLLECTION UNIQUE?

16
Gauge


HEAVY-DUTY

Our 16 gauge stainless steel doors are attached to 20 gauge stainless steel cabinets with concealed ³/₁₆" (5 mm) diameter piano hinges to handle heavy use.



RIMLESS TUMBLER LOCKS

Our rimless flush tumbler locks that are keyed alike provide convenience and security with an elegant look.



ROUNDED CORNERS

All doors have vertical edges rounded to a ³/₄" (19 mm) radius with welded corners for strength and to ensure no sharp edges for safety.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

PROFILE COLLECTION



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES









9469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 13.3 gal. (50.4 L) waste receptacle.

Unit Size: 17¹/₄" × 56" × 5³/₁₆" (438 × 1422 × 132 mm)

Wall Opening: 15³/₄" × 54¹/₂" × 4" (400 × 1384 × 102 mm)

ķ.

9462 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle.

Unit Size: 17¹/₄" × 54" × 6¹⁵/₁₆" (438 × 1372 × 176 mm)

Wall Opening: 15³/₄" × 52¹/₂" × 6" (400 × 1334 × 152 mm)







9467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 900 multi-fold paper towels. 5 gal. (18.9 L) stainless steel waste receptacle.

MODEL OPTIONS:

94676 dispenses 1100 single-fold towels and has push door and 7 gal. (26.5 L) capacity.

9467

Unit Size:13" x 55" x 5³/₁₆"
(330 x 1397 x 132 mm)

94676 Unit Size:

Unit Size: 13" x 55" x 7³/₁₆" (330 x 1397 x 183 mm)

Wall Opening:

11½" x 53½" x 4¼" (292 x 1359 x 108 mm)

Wall Opening:

11¹/₂" x 53¹/₂" x 6¹/₄" (292 x 1359 x 159 mm)

94696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 10 gal. (37.8 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

94696: Mechanical lever dispenser.

Unit Size:

16½" x 41½" x 10½" (408 x 1048 x 272 mm)

Wall Opening:

14⁵/₈" x 39³/₄" x 10" (371 x 1010 x 254 mm)











94623 PAPERTOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels and has a built-in 2 gal. (7.6 L) stainless steel waste receptacle.

Wall Opening: Unit Size: 14¹/₄" × 28" × 4¹⁵/₁₆" 12³/₄" × 26¹/₂" × 4¹/₄" (362 × 711 × 125 mm) (324 × 673 × 108 mm)



9452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

Unit Size: Wall Opening: 14¹/₄" × 28" × 4¹⁵/₁₆" $12^{3}/_{4}$ " × $26^{1}/_{2}$ " × $4^{1}/_{4}$ " (362 x 711 x 125 mm) (324 x 673 x 108 mm)



9457 PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 475 multi-fold paper towels.

Unit Size: Wall Opening: 12³/₄" × 17¹/₄" × 4¹⁵/₁₆" 11¹/₄" × 15³/₄" × 4¹/₄" (324 × 438 × 125 mm) (286 × 400 × 108 mm)









9459 WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a selfclosing panel that covers its opening.

Wall Opening: 14¹/₄" x 28" x 4¹⁵/₁₆" 12³/₄" x 26¹/₂" x 4¹/₄" (362 x 711 x 125 mm) (324 x 673 x 108 mm)



9474 WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials.

Wall Opening: $15^3/_4$ " \times $38^1/_2$ " \times $6^1/_4$ " 17¹/₄" × 40" × 7³/₁₆" (438 x 1016 x 183 mm) (400 x 978 x 159 mm)



9468 DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons using 25¢, 50¢ or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

MODEL OPTION:

94684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: Wall Opening: 17¹/₄" × 27¹/₄" × 6¹⁵/₁₆" 16" x 26" x 6¹/₄" (438 x 692 x 176 mm) (406 x 660 x 159 mm)

PROFILE COLLECTION









9471 PROFILE COLLECTION RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.8 gal. (7 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" × 19⁵/₈" × 4¹⁵/₁₆" 9¹/₈" × 18¹/₈" × 4¹/₄"

Wall Opening: (270 x 498 x 125 mm) (232 x 460 x 108 mm)

9326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Unit Size: $10^{1}/_{4}$ " \times 6" \times $7^{3}/_{16}$ "

Wall Opening: 9" x 47/8" x 41/4 (260 x 152 x 183 mm) (229 x 124 x 108 mm)

Spout Projection: 21/4" (57 mm)



9343 HORIZONTAL SURFACE MOUNTED **SOAP DISPENSER**

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

7¹/₄" × 6¹/₂" × 3¹¹/₁₆" (184 × 165 × 94 mm)

Spout Projection: 15/16" (24 mm)





9477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

MODEL OPTION:

9477-SM Surface mounted. Dispenses 250 seat covers.

(438 x 324 x 73 mm) (400 x 285 x 67 mm)



9030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to $5^{1}/4$ " (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions:

6" x 12" x 6¹/₄" (152 x 305 x 159 mm)



9031 RECESSED DUAL ROLL **TOILET TISSUE DISPENSER**

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 51/4" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions:

8" x 14" x 61/4"

 $(203 \times 356 \times 159 \text{ mm})$ with flange for recessing



Simplicity Collection

Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty and durability.


All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE SIMPLICITY COLLECTION UNIQUE?

18Gauge

STAINLESS STEEL CONSTRUCTION

Constructed with 18 gauge stainless steel doors and 20 gauge cabinets, which are attached with concealed ³/₁₆" (5 mm) diameter piano hinges for durability.



SEAMLESS ONE-PIECE COVER-ALL DOOR

The door is designed for a sleek and streamlined appearance, making it easy to maintain even with heavy use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness

SIMPLICITY COLLECTION



PAPER TOWEL DISPENSERS



FEMININE HYGIENE VENDORS



SOAP DISPENSERS







6462 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold, or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle.

6462-2 Semi-recessed with 2" stainless steel collar. 6462-9 Surface mounted with 9" stainless steel collar.

Unit Size: 17¹/₄" × 54" × 6¹/₂" (438 × 1372 × 165 mm)

Wall Opening: 15³/₄" × 52¹/₂" × 6" (400 × 1335 × 152 mm)

6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.24 gal. (16 L) stainless steel waste receptacle.

MODEL OPTION:

6467-9 Surface mounted with 9" stainless steel collar.

Unit Size:

13" x 55" x 4³/₄" (330 x 1397 x 121 mm)

Wall Opening: 111/2" × 531/2" × 4" (292 × 1359 × 102 mm)

SIMPLICITY COLLECTION







64676 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multi-fold or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle.

MODEL OPTIONS:

64676-2 Semi-recessed with 2" stainless steel collar. 64676-9 Surface mounted with 9" stainless steel collar.

Unit Size: 13" x 55" x 6¹/₂"

(330 x 1397 x 165 mm)

Wall Opening: 111½" × 531½" × 6" (292 × 1359 × 152 mm)

64672-1 RECESSED THREE-IN-ONE COMBINATION UNIT WITH HIGH-SPEED HAND DRYER

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240V Dryer. **64672** Cabinet only – no hand dryer included.

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" Wall Opening: $14^{3}/_{32}$ " x $54^{3}/_{8}$ " x $7^{1}/_{4}$ "

(391 x 1407 x 191 mm) (358 x 1381 x 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M











NEW 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

12⁵/₈" x 15³/₄" x 5⁴/₁₆" (320 x 400 x 140 mm)

Decibel Level: 66 dB-A @ 2M

Wall Opening: 12¹/₄" x 15³/₁₆" x 5¹/₄" (311 x 386 x 133 mm)

GreenSpec*



0134 TURBO-TUFF FULLY RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owneradjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Wall Opening: Unit Size: 12¹⁹/₃₂" x 15³/₄" x 4¹/₁₆" (320 x 400 x 103 mm) 12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





64623 RECESSED PAPERTOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2.2 gal. (8.4 L) stainless steel waste receptacle.

MODEL OPTION:

64623-9 Surface mounted with 9" stainless steel collar.

Unit Size: 14¹/₄" x 28" x 4³/₄" (362 x 711 x 121 mm)

Wall Opening: 12³/₄" × 26¹/₂" × 4¹/₄" (324 × 673 × 108 mm)

SIMPLICITY COLLECTION







NEW 645210A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch recessed unit dispenses an owner-adjustable length per cycle from 8" (205 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 20 gauge stainless steel with satin finish.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6"

stainless steel collar. -9: Surface mounted with 9"

stainless steel collar.

645210: Mechanical lever dispenser.

 Unit Size:
 Wall Opening:

 16³/₅₀" x 28" x 9"
 15³/₄" x 26¹/₂" x 10¹/₄"

 (408 x 711 x 229 mm)
 (400 x 673 x 260 mm)

64696 ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths of 21/2", 4" or 5" (65, 100 or 125 mm) per stroke. 9.4 gal. (36 L) stainless steel waste receptacle.

MODEL OPTIONS:

64696-6 Semi-recessed with 6" stainless steel collar. 64696-9 Surface mounted with 9" stainless steel collar.

Wall Opening:

 $\begin{array}{lll} 16^{1}/_{16}" \times 41^{1}/_{4}" \times 9^{5}/_{8}" & 14^{5}/_{8}" \times 39^{3}/_{4}" \times 9^{1}/_{4}" \\ (408 \times 1048 \times 245 \text{ mm}) & (371 \times 1010 \times 235 \text{ mm}) \end{array}$



64696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 9.4 gal. (36 L) stainless steel waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6"

stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

64696: Mechanical lever dispenser.

 $16^{\scriptscriptstyle 1}/_{\scriptscriptstyle 16}{}^{\scriptscriptstyle \parallel}\times41^{\scriptscriptstyle 1}/_{\scriptscriptstyle 4}{}^{\scriptscriptstyle \parallel}\times10^{\scriptscriptstyle 1}/_{\scriptscriptstyle 4}{}^{\scriptscriptstyle \parallel}$

Wall Opening: 14⁵/₈" × 39³/₄" × 10"

(408 x 1048 x 261 mm) (371 x 1010 x 254 mm)









6457 PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multi-fold paper towels.

Unit Size: 12³/₄" x 17¹/₄" x 4¹/₂" (324 x 438 x 114 mm) **Wall Opening:** 11¹/₄" × 15³/₄" × 4¹/₄" (286 × 400 × 108 mm)



6452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

MODEL OPTION:

6452-9 Surface mounted with 9" stainless steel collar.

Unit Size: 14¹/₄" x 28" x 4¹/₂" (362 x 711 x 114 mm) Wall Opening: 12³/₄" x 26¹/₂" x 4¹/₄" (324 x 673 x 108 mm)





6459 WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening.

Unit Size: 14¹/₄" × 28" × 4¹/₂" (362 × 711 × 114 mm)

Wall Opening: 12³/₄" × 26¹/₂" × 4¹/₄" (324 × 673 × 108 mm)





6474 WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials.

MODEL OPTION:

6474-2 Semi-recessed with 2" stainless steel collar.

Unit Size: 17¹/₄" x 40" x 6³/₄" (438 x 1016 x 171 mm) **Wall Opening:** 15³/₄" x 38¹/₂" x 6¹/₄" (400 x 978 x 159 mm)

SIMPLICITY COLLECTION





6468 SIMPLICITY COLLECTION DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F). Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size:

 $17^{1}/_{4}$ " × $27^{1}/_{4}$ " × $6^{1}/_{2}$ " (438 x 692 x 165 mm) Wall Opening: 16" x 26" x 61/4" (406 x 660 x 159 mm)



6471 SIMPLICITY COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" × 19⁵/₈" × 4¹/₂" (270 x 498 x 114 mm)

Wall Opening:

 $9^{1}/8" \times 18^{1}/8" \times 4"$ (232 x 460 x 102 mm)









6477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

Unit Size:

17¹/₄" × 12³/₄" × 2⁷/₈" (438 x 324 x 73 mm)

Wall Opening: 15³/₄" × 11½" × 2½" (400 × 292 × 64 mm)



6326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Unit Size:

 $10^{1}\!/_{\!4}" \times 6" \times 6^{5}\!/_{\!8}"$ (260 x 152 x 168 mm)

Wall Opening:

9" x 4⁷/₈" x 4" (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)





Traditional Collection

This time-honored collection provides exceptional value, offering a broad array of items for well-equipped washrooms. Double-pan doors incorporate a "no-flex" structural fiberboard core. Combining seamless construction and crisp design lines, this


elegant collection provides strength, comfort, beauty and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL COLLECTION UNIQUE?

22
Gauge


STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



DOUBLE-PAN DOORS

The double-pan doors incorporate a "no-flex" structural fiberboard core, adding strength and endurance for long-term use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness

TRADITIONAL COLLECTION



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES









0462-AD PAPER TOWEL DISPENSER AND WASTE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle.

MODEL OPTION:

0462-AD-9 Surface mounted with 9" stainless steel collar.

Unit Size:

14¹/₁₄" x 28" x 4¹/₄" (362 x 711 x 108 mm)

Wall Opening: 12³/₄" × 26¹/₂" × 4" (324 × 673 × 102 mm)

0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

0469-2 Semi-recessed with 2" stainless steel collar.
0469-9 Surface mounted with 9" stainless steel collar. 0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size: 17¹/₄" × 56" × 4¹/₄" (438 × 1422 × 108 mm)

Wall Opening: 15³/₄" × 54¹/₂" × 4" (400 × 1384 × 102 mm)

TRADITIONAL COLLECTION







04697 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

04697-4 Semi-recessed with 4" stainless steel collar. 04697-9 Surface mounted with 9" stainless steel collar. 04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

Unit Size: 17¹/₄" × 56" × 7¹/₄" (438 × 1422 × 184 mm)

Wall Opening: 15³/₄" × 54¹/₂" × 7¹/₄" (400 × 1384 × 184 mm)

2

04692A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar. **04692**: Mechanical lever dispenser.

Unit Size:

17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm) **Wall Opening:** 15³/₄" × 54¹/₂" × 10" (400 × 1384 × 254 mm)







0467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 7 gal. (26 L) stainless steel waste receptacle.

MODEL OPTIONS:

0467-2 Semi-recessed with 2" stainless steel collar. 0467-9 Surface mounted with 9" stainless steel collar.

Unit Size:

13" x 55" x 6¹/₂" (330 x 1397 x 165 mm)

Wall Opening: 11¹/₂" × 53¹/₂" × 6¹/₄" (292 × 1359 × 159 mm)

NEW 046926 SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE CABINET

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet.

Unit Size:

17¹/₄" x 56" x 9¹/₄" (438 x 1422 x 235 mm)

Wall Opening: 15³/₄" × 54¹/₂" × 4" (400 × 1384 × 102 mm)

TRADITIONAL COLLECTION







046921A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). **AC:** Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar. 046921: Mechanical lever dispenser.

Unit Size:

17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm)

Wall Opening:

15³/₄" × 54¹/₂" × 10¹/₄" (400 × 1384 × 260 mm)

(2)

046924A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 12 gal. (45.4 L) waste receptacle.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). **AC:** Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar. 046924: Mechanical lever dispenser.

Unit Size:

17¹/₄" × 56" × 10¹/₄" (438 × 1422 × 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4" (400 x 1384 x 102 mm)













0457 PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 500 multi-fold paper towels; well-suited for smaller washrooms with less space and traffic.

MODEL OPTION:

0457-9 Surface mounted with 9" stainless steel collar.

Wall Opening: 11¹/₄" × 15³/₄" × 4" (286 12³/₄" × 17¹/₄" × 4¹/₄" (324 x 438 x 108 mm) x 400 x 102 mm)



0452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

MODEL OPTION:

0452-9 Surface mounted with 9" stainless steel collar.

Wall Opening: 14¹/₄" × 28" × 4¹/₄" 12³/₄" x 26¹/₂" x 4" (326 x 711 x 108 mm) (324 x 673 x 102 mm)



045224A AUTOMATIC ROLL PAPER TOWEL DISPENSER

Pre-set length dispensed from 8" or 9" wide rolls.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.-9: Surface mounted with 9" stainless steel collar. 045224: Mechanical lever dispenser.

Unit Size: Wall Opening: $17^{1}/_{4}$ " \times $30^{1}/_{2}$ " \times $10^{1}/_{4}$ " 153/4" x 29" x 4" (438 x 775 x 260 mm) (400 x 737 x 102 mm)





045210A RECESS MOUNTED AUTOMATIC ROLL PAPER TOWEL DISPENSER

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Unit Size: 17¹/₄" × 28" × 10"

Wall Opening: 15³/₄" × 26¹/₂" × 10¹/₄" (438 x 711 x 254 mm) (400 x 673 x 260 mm)



0458 WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing.

MODEL OPTION:

0458-9 Surface mounted with 9" stainless steel collar.

Wall Opening: Unit Size: $17^{1}/_{4}$ " \times $30^{1}/_{2}$ " \times 8" 153/4" x 29" x (variable") (438 x 775 x 203 mm) (400 x 737 mm)

"[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if 1/2" (13 mm) x 71/2" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]





04733 WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle.

Wall Opening: Unit Size: 14¹/₄" × 28" × 4¹/₂" 12³/₄" × 26¹/₂" × 4" (362 x 711 x 114 mm) (324 x 673 x 102 mm)

TRADITIONAL COLLECTION





0210 PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

Overall Dimensions:

11" x 14½" x 4½" (279 x 368 x 103 mm)

0215 PAPER TOWEL DISPENSER—PETITE

Same as 0210 but reduced capacity to dispense 200 C-fold or 275 multi-fold paper towels; well-suited for low traffic areas.

Overall Dimensions:

11" x 8" x 4" (279 x 203 x 102 mm)

0439 RECESSED TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.







8522 ROLL PAPERTOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

MODEL OPTIONS:

8523A Powered by 4 D-size batteries (not included).

8523AC Powered by AC plug-in adapter. 8523A-SR4 Semi-recessed with 4" stainless steel collar.

8523AC-SR4 Semi-recessed with 4" stainless steel collar.

Overall Dimensions:

14" x 16" x 9¹/₂" (356 x 406 x 241 mm)

8165 ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (152 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:

Unit measures 13" (330 mm) wide; projects 4" (102 mm) from wall.

0245-SS PAPER TOWEL DISPENSER

Entirely fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions:

11¹/₄" x 6½" x 5½" (285 x 160 x 143 mm)









0828 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions:

14" x 18" x 6" (356 x 457 x 152 mm)



0825 WASTE RECEPTACLE

22 gauge stainless steel with satin finish; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:

0826 has 12 gal. (45.4 L) capacity with 15¼" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions:

(400 x 556 x 298 mm)



0810 FREESTANDING WASTE RECEPTACLE

22 gauge stainless steel with satin finish; holds 14 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

MODEL OPTION:

0812 has 19 gal. (73.4 L) capacity with 13" x 38½" x 12¼" (330 x 978 x 311 mm) dimensions.

Overall Dimensions:

13" x 30¹/₂" x 12¹/₄" (330 x 775 x 311 mm)





0811 FREESTANDING OPEN WASTE RE-**CEPTACLE**

Same features as Model 0810 except without top.

MODEL OPTION:

0813 has 19 gal. (73.4 L) capacity with 13" x 30" x 121/4" (330 x 762 x 311 mm) dimensions.

Overall Dimensions:

13" × 22" × 121/4" (330 x 559 x 311 mm)





0827 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions:

10¹/₂" x 9" x 4³/₄" (267 x 229 x 121 mm)



0829 CORNER WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 15.5 gal. (59 L) of waste.

Overall Dimensions:

15" x 23" x 141/2" (381 x 584 x 368 mm)

TRADITIONAL COLLECTION









NEW 4004 UNDER VANITY PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 300 C-fold or 475 multi-fold paper towels and has a waste capacity of 10 gal. (38 L). Waste disposal door is spring loaded to remain shut.

17⁷/₁₆" × 24" × 14⁷/₁₆" (443 x 610 x 367 mm)

Under Mount Requirements: 17¹/₂" × 30" × 14¹/₂" (445 x 762 x 368 mm)

Exposed Cabinet Size: 13¹/₂" x 24" x 12¹/₂" (343 x 610 x 318 mm)



1000 CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of 81/8" (206 mm) diameter.

Unit Size: 6³/₄" (171 mm) outside diameter **Counter Opening:** 5³/₄" (146 mm) diameter



1001 COUNTER TOP MOUNTED PAPER TOWEL DISPENSER/ WASTE RECEPTACLE

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided. Capacity is 7.5 gal. (28 L).

Unit Size: $14^{1}/_{4}$ " x 15" x $3/_{32}$ " (362 x 381 x 2 mm)

Counter Opening: 12¹/₂" x 13¹/₂" (318 x 343 mm)





1002 COUNTER TOP MOUNTED PAPER TOWEL **DISPENSER**

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

Unit Size: 14¹/₄" × 6" × ³/₃₂" (362 x 152 x 2 mm) **Counter Opening:** $12^{1}/_{2}" \times 4^{1}/_{4}"$ (318 x 108 mm)





1003 COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" \times 12" \times 12" (305 \times 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: 14¹/₄" × 10" × ³/₃₂" (362 x 254 x 2 mm) **Counter Opening:** 8³/₄" × 12¹/₂" (222 x 318 mm)



TRI-*Umph*[™] High-Speed Hand Dryer

This state-of-the-art, ergonomic, high-speed hand dryer is ultra-hygienic with an outstanding filter system. With air blowing down from vents above, users dry their hands in under 12 seconds.

This hand dryer allows users to triumph over germs with fast drying time in a comfortable, natural position without water splash-back. Easy to maintain, the TRI- $Umph^{TM}$ high-speed hand dryer makes perfect sense to meet all washroom needs.

WHAT MAKES TRI-Umph™ UNIQUE?



HIGH SPEED YET QUIETER AND ENERGY EFFICIENT

The TRI-Umph™ high-speed hand dryers take less than 12 seconds to completely dry hands.

Low Decibel Level: 65-69.8 dB-A @ 2M



ERGONOMIC

This unit is wall mounted at a comfortable height in order to permit a natural posture while drying the user's hands.





MOISTURE MANAGEMENT SYSTEM

Water blown from wet hands is pushed onto an absorbent and continuously evaporating ceramic plate, with any excess water channeled into a drip tray.



TRIPLE FILTER

Over 99% of airborne bacteria and particles as small as 0.3 microns are eliminated with this hand dryer's removable three-layer filter system.

TRI-Umph™ HIGH-SPEED HAND DRYER 20200 SILVER AND BLACK 20201 WHITE

FEATURES

- Ultra-hygienic
- Energy efficient
- Quieter
- Fast drying
- Ceramic Evaporator Plate captures water droplets
- Drip Tray prevents puddles on the floor
- Easy to maintain
- Operating LED lights

ULTRA HYGIENIC — THREE-LAYER FILTER

- HEPA—to capture airborne PARTICLES
- Antimicrobial—to fight BACTERIA
- Activated charcoal—to fight ODOR

Comes with an Antimicrobial ABS Cover with Silver Ions

DIMENSIONS

Unit size is 12¹¹/₁₆" x 22¹/₁₆" x7¹¹/₁₆" (322 x 560 x 196 mm)

Net weight: 19.8 lbs. (9 kg)

VARIABLE SETTINGS

- Air flow can be lowered
- Heat can be turned on or off
- Save energy
- Reduce noise
- · Gain operating flexibility

Optional Voltage Available





White











0198-93 TURBO-DRI™ Jr.

Powerful, fast drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Heavy-duty, one-piece-formed unit in white or satin stainless steel finish with 5-year warranty. Optional voltages available.

Overall Dimensions:

9²⁵/₃₂" x 6⁵/₈" x 5¹³/₃₂ (248.3 x 168.2 x 137.5 mm)



Stainless Steel

Decibel Level: 66 dB-A @ 2M

20199 ROVAL™ RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Decibel Level: 69 dB-A @ 2M



0199-93 ASITURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with autoresetting thermostat. Owner-adjustable air speed & temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Optional voltages available.

Overall Dimensions: 105/8" x 815/32" x 4" (270 x 215 x 102 mm)



Decibel Level: 68.9-74.3 dB-A @ 2M







NEW 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size:

12⁵/₈" × 15³/₄" × 5⁴/₁₆" (320 x 400 x 140 mm)

Decibel Level: 66 dB-A @ 2M



GreenSpec*



0134 TURBO-TUFF FULLY RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Unit Size: 12¹⁹/₃₂" x 15³/₄" x 4¹/₁₆"

Wall Opening: 12⁵/₁₆" x 15³/₁₆" x 3⁷/₈" (320 x 400 x 103 mm) (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M





0197 TURBO-DRI™ HIGH-SPEED HAND DRYER

Fast drying, <12 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish. Optional voltages available.

Overall Dimensions: 8¹/₁₆" x 11¹⁹/₆₄" x 7⁵/₆₄" (205 x 287 x 180 mm)

Decibel Level: 59-72 dB-A @ 2M

*ADA Compliant using Semi-Recessed Kit #0119



HAND DRYFRS





0141 PORCELAIR HAND DRYER

Quick drying, <30 seconds, and no-touch, energy efficient operation. Dries both hands and face.

Overall Dimensions:

97/16" x 9⁴¹/₆₄" x 6³/₈" (240 x 245 x 162 mm)

Electrical Specifications:

Motor: 1/8 HP-3150 RPM- Brushless Air Output: 150 CFM-Temp 127° F (53° C)

Decibel Level: 60-66 dB-A @ 2M



64672-1 RECESSED THREE-IN-ONE COMBINATION UNIT WITH HIGH-SPEED HAND DRYER

Paper towel dispenser with waste receptacle and <15 second automatic hand dryer, dispenses 500 standard multi-fold or 400 standard C-fold paper towels with a waste capacity of 6.8 gal. (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. 110-120V. Optional voltages available.

MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240V Dryer. **64672** Cabinet only – no hand dryer included.

Unit Size: 15³/₈" x 55³/₈" x 7¹/₂" (391 x 1407 x 191 mm)

Wall Opening: 14³/₃₂" × 54³/₈" × 7¹/₄" (358 × 1381 × 184 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M







Bright White Stainless Steel



0185-93 PROFILE™ STEEL COVER WITH PORCELAIN ENAMEL FINISH

Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable.

Overall Dimensions:

14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆" (367 x 275 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M





0195 PROFILE™ CAST IRON COVER WITH PORCELAIN ENAMEL FINISH

Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable.

Overall Dimensions:

15%2" x 11%2" x 3%6" (383 x 285 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M





EZ FILL™ FEATURES

- Top-fill, expandable system
- Heavy-duty brass dispensers with chrome plated finish
- Counter-mounted port has an anti-theft cover
- Easy to use
- This EZ FILL™ system is electrically operated using batteries or alternating current
- Anti-Rotation Flange




Image shown with matching faucet available.

WHAT MAKES EZ FILL™ SOAP DISPENSING SYSTEM UNIQUE?

Up to dispensers

MULTI-FEED SYSTEM

Using infrared sensors, each of up to 6 automatic soap dispensers is fed by its own controllable peristaltic pump.



EASY REFILL

Using a single soap reservoir, this top-fill system allows refill of up to 6 soap dispensers with 1 pour-for easy ongoing maintenance.



UNIVERSAL REMOTE

Controls all dispensers with one remote, allowing flexibility in settings with a choice of 4 presets.

Up to liter capacity

RANGE OF SIZES FOR ALL NEEDS

Holds 5 L of liquid soap to supply up to six (6) individual EZ FILL™ vanity mounted automatic soap dispenser units.

	INDIVIDUAL		MULTI-FEED SYSTEM (UP TO 6)					
		Individual vanity mounted automatic soap dispenser is refilled by removing 1 liter bottle from EZ FILL TM bracket under the counter.	The only top-fill soap dispensing system that can refill up to six soap dispensers with one pour.					
Soap Heads	Individual	6 Pack SKU ¹	Soap Heads	Individual	6 Pack SKU ¹			
\wedge	9 0391-1AC 0391-6-1AC	\wedge	9 0390-1AC	0390-6-1AC				
LIQUID	0391-1A	0391-6-1A	LIQUID	1 0390-1A	0390-6-1A			
B	9 0394-1AC	0394-6-1AC	B	9 0393-1AC	0393-6-1AC			
FOAM	0394-1A	0394-6-1A	FOAM	🔒 ² 0393-1A	0393-6-1A			

TOP FILL, MULTI-FEED SYSTEM REQUIRES (A) AND (B)

(A) 0390- Multi-Feed Kit3- Kit3 includes a 5 Liter Soap Container, Top Fill Tube and Counter Fill Port with Cover

(B) Multi-Feed-Soap Dispenser Head(s)4

EZ FILL™ ACCESSORIES

0390-BR- Optional Under Counter Mounting Bracket for 5 Liter Container 0390-R- Remote Control¹ to adjust liquid dispensing settings

0390-ARK- Anti-Rotation Kit for all 0390 Series 0393-R- Remote Control¹ to adjust foam dispensing settings Stand Alone Dispensers come standard with I Liter soap container

- $^{\rm 1}$ One Remote Control provided at no charge, with the 6 Pack SKU $^{\rm 2}$ Powered by 6 D-size batteries (not included)

- Kit does not include soap dispenser heads
 Soap Dispenser Heads do not come with Multi-Feed Kit





20333 AUTOMATIC DECK MOUNTED SOAP DISPENSER

Constructed of polished chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of liquid soap.

Overall Dimensions:

4" x 211/3 (102 x 546 mm) Spout Projection: 31/8" (99 mm)



0362 AUTOMATIC SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Powered by 6 AA-size batteries (not included) and has tamper-resistant viewing window. Suitable for dispensing higher viscosity/antimicrobial soap. Capacity: 27 oz. (0.8 L) when using a disposable soap cartridge or 30 oz. (0.9 L) when using the refillable soap cartridge.

Overall Dimensions:

4¹³/₁₆" x 10⁵%" x 4¹/8" (122 x 270 x 105 mm)



0360 AUTOMATIC SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Powered by 6 AA-size batteries (not included) and has tamper-resistant viewing window, removable lid with special lock and key. Capacity: 35 fl. oz. (1 L).

Overall Dimensions:

4¹⁷/32" x 9¹/₄" x 4⁷/₈" (115 x 235 x 124 mm)



5001-SS CARTRIDGE SOAP DISPENSER

Surface mounted, stainless steel, satin finish 22 gauge door and body 16 gauge.

Overall Dimensions:

41/4" x 11" x 4" (108 x 279 x 102 mm)

MODEL OPTION:

5002 CARTRIDGE SOAP DISPENSER Recessed mounted unit.

Unit Size: Wall Opening: 5¾" x 15" x 4½" 5¾" x 13½" x 4½" x 13½" x 4¼" (184 x 381 x 115 mm) (146 x 343 x 108 mm)



0361 AUTOMATIC SOAP DISPENSER

White, high-impact plastic, proximity sensor and powered by one 9V or 6 AA-size batteries (not included). Tamper-resistant soap level viewing window, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L).

Overall Dimensions:

45%" x 105/16" x 47/16" (118 x 262 x 113 mm)



0326 RECESSED HORIZONTAL SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 57 fl. oz. (1.7 L) capacity.

 $10\frac{1}{4}$ " × 6" × $4\frac{1}{2}$ "

Wall Opening:

9" x 47/8" x 4" (260 x 152 x 115 mm) (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)

SOAP DISPENSERS











0332 LAVATORY MOUNTED ALL-PURPOSE SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

MODEL OPTIONS:

	Capacity	Spout			
0332	34 oz. (1.0 L)	4" (102 mm)			
0332-C	20 oz. (0.6 L)	4" (102 mm)			
0332-CD	20 oz. (0.6 L)	6" (152 mm)			
0332-D	34 oz. (1.0 L)	6" (152 mm)			

Unit Size: $3^{7/_{16}}$ " \times $10^{21/_{32}}$ " (87 x 271 mm)



40 fl. oz. (1.2 L) capacity soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant refill indicator.

0347 Unit Size: 0345 Unit Size: 413/16" x 83/16" x 315/16" 8³/₁₆" x 4¹³/₁₆" x 3¹⁵/₁₆" (122 x 208 x 100 mm) (208 x 112 x 100 mm) Spout projection: 15/16" (24 mm)



9343 HORIZONTAL SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions:

7¹/₄" x 6¹/₂" x 3¹¹/₁₆" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)





20365 AUTOMATIC FOAM SOAP DISPENSER

A foam drop is dispensed out of the nozzle on unit bottom each time its sensor is activated. Powered by 4 AA-size batteries (not included). Capacity: 34 oz. (1 L) of liquid foaming soaps within a wide range of viscosity.

Overall Dimensions:

5½" x 10¾" x 4" (140 x 273 x 102 mm)





20364 AUTOMATIC SOAP DISPENSER

Hands-free soap dispenser powered by 6 AA-size batteries (not included). Dispensing cycles adjustable with tamper-proof magnetic key. Seamless drawn type 304 stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L).

Overall Dimensions:

 $5\frac{1}{2}$ " x $10\frac{3}{4}$ " x 4" (140 x 276 x 102 mm)





20363 SURFACE MOUNTED VERTICAL SOAP DISPENSER

Push button. Valve operation needs no more than 5 lbs. of pressure to actuate. Gently radiused edge complements the curves of the ASI Roval™ Collection. Capacity: 57 oz. (1.7 L).

Overall Dimensions:

5½" x 10¾16" x 4" (139 x 274 x 101 mm)

Spout Projection: 15/16" (24 mm)



Mirrors

ASI provides mirrors for every location, application and budget—virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR

OPTIONAL REFLECTIVE SURFACES

SUFFIX DESCRIPTION:

- B Tempered Glass ¼" (6 mm) polished tempered glass
- C Stainless Steel Mirrors Type 304 Stainless Steel polished to a #8 mirror finish

 D Lexan Dura-Mir™ Fabricated of ¼" (6 mm)
- polycarbonate sheet
 Plexiglas® ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant
- Laminated Glass 1/4" (6 mm) thick

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.

				STAN	DARD IV	IIRROR S	SIZES					
Width x Height	0535	0537	0600	0600T	0605	0620	0625	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)						0						
16" x 24" (41 x 61 cm)												
16" x 30" (41 x 76 cm)												
18" x 24" (46 x 61 cm)	0			0		0	0					
18" x 30" (46 x 76 cm)												0
18" x 36" (46 x 91 cm)												0
20" x 60" (51 x 152 cm)												
24" x 24" (61 x 61 cm)												
24" x 30" (61 x 76 cm)												
24" x 36" (61 x 91 cm)												
24" x 42" (61 x 107 cm)												
24" x 48" (61 x 122 cm)												
24" x 60" (61 x 152 cm)						0						
24" x 72" (61 x 183 cm)												
30" x 36" (76x 91 cm)						0						
30" x 48" (76x 122 cm)												
36" x 36" (91x 91 cm)						0						
36" x 48" (91 x 122 cm)												
48" x 30" (122 x 76 cm)												
48" x 36" (122 x 91 cm)												
60" x 24" (152 x 61 cm)												
60" x 36" (152 x 91 cm)												
72" x 36" (183 x 91 cm)												

Custom sizes available upon request. Standard glazing is glass. See Optional Reflective surfaces above.





à.

0535 FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.

8026 FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a 5/16" (8 mm) return. Provided with $\frac{1}{4}$ " (6 mm) thick concealed tempered masonite backing and 4 mounting holes.





0600 ANGLE FRAME MIRROR

%" x %" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.

0600T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.

MIRRORS



0620 CHANNEL FRAME MIRROR

 V_2 " x V_2 " x V_2 " (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screws.



0605 ANGLE FRAME MIRROR WITH SHELF

0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) deep.



20650 ROVAL™ STAINLESS STEEL MIRROR

20655 ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval™ design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.



8287 FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. One-piece can be up to 28 sq. ft. (2.6 m²), as long as either H or W dimension is less than 84" (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m²) or with either linear H or W dimension larger than 84" (2134 mm) shall be supplied as multiple pieces. Made of ¼" polished plate glass.



Feminine Hygiene

ASI offers a wide range of feminine hygiene dispenser and disposal units, available as fully recessed, semi-recessed or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR





0464 RECESSED SANITARY NAPKIN TAMPON VENDOR

Dispenser includes two dispensing mechanisms, one for 27 tampons, the other for 30 feminine napkins. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm). Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTION: 0864 Surface mounted.

Wall Opening: 13³/₄" x 28½" x 6½" 12½" x 26½" x 1" to 6" (349 x 714 x 165 mm) (318 x 673 x 25 to 152 mm)





6468 SIMPLICITY COLLECTION DUAL NAPKIN/ **TAMPON VENDOR**

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F). Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

 $17^{1}/_{4}$ " × $27^{1}/_{4}$ " × $6^{1}/_{2}$ " (438 x 692 x 165 mm) Wall Opening: 16" x 26" x 6¹/₄" (406 x 660 x 159 mm)







0468 RECESSED SANITARY NAPKIN/ TAMPON VENDOR

Dispenses 30 napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

MODEL OPTIONS:

0468-2 Semi-recessed with 2" stainless steel collar. 04684 Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: Wall Opening: 17¹/₄" x 27¹/₄" x 6¹/₂" 16" x 26" x 6" (438 x 692 x 165 mm) (406 x 660 x 152 mm)



204684 RECESSED DUAL SANITARY NAPKIN & TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door has 18 gauge type 304 satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢ and free (no coin) operation. Choose appropriate suffix (-25, -50 or –F).

MODEL OPTION:

204684-9 Surface mounted with 9" stainless steel collar.

 $\begin{array}{lll} \textbf{Unit Size:} & \textbf{Wall Opening:} \\ 17^5/16^{11} \times 27^3/4^{11} \times 5^5/6^{11} & 15^5/6^{11} \times 26^5/6^{11} \times 4^{11} \\ (440 \times 705 \times 143 \text{ mm}) & (397 \times 664 \times 102 \text{ mm}) \end{array}$





6471 SIMPLICITY COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" × 19⁵/₈" × 4¹/₂" (270 × 498 × 114 mm)

Wall Opening: 91/8" x 181/8" x 4" (232 x 460 x 102 mm)





9471 PROFILE COLLECTION SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: Wall Opening: 10⁵/₈" x 19⁵/₈" x 4¹⁵/₁₆" 9¹/₈" x 18¹/₈" x 4¹/₄" (270 x 498 x 125 mm) (232 x 460 x 108 mm)

FEMININE HYGIENE VENDORS AND DISPOSALS



0472 PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy-duty full length piano hinge.

MODEL OPTION:

0472-1 Waste receptacle units with a lock.

Partition Opening:

11%" x 15%" (290 x 400 mm)



0473 RECESSED SANITARY NAPKIN DISPOSAL

Similar to 0472, but recessed for side wall installation.

MODEL OPTION:

0473-1 Waste receptacle units with a lock.

Wall Opening:

11½" x 15¾" x 4" (285 x 400 x 102 mm)



0473-A END STALL SANITARY DISPOSAL SURFACE MOUNTED

Similar to 0473, but surface mounted.

MODEL OPTION:

0473-1A Waste receptacle units with a lock.

Overall Dimensions:

11" x 151/4" x 4" (279 x 387 x 102 mm)



0852 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Sloping cover has full length piano hinge. Capacity of the unit is 1.2 gal. (4.5 L).

Overall Dimensions:

7%" x 9¹¹/₁₆" x 4" (200 x 246 x 102 mm)



20470 RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty \(^{964}\)" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

Overall Dimensions:

12¹³/₁₆" x 11" x 5⁷/₁₆" (325 x 280 x 138 mm)



20852 SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty %4" multi-staked concealed piano hinge. Cabinet front is formed seamless and capacity of the unit is 1 gal. (3.8 L).

Overall Dimensions:

7¹/₄" x 10" x 3¹/₂" (185 x 253 x 89 mm)



Specialty Accessories

With an extensive portfolio of washroom accessories, ASI can provide whatever you need to promote the neat and orderly use of your facilities. These designs reflect our attention to detail for durability and easy maintenance.

SHOWN: 0785-Z TOWEL RING



7385 TOWEL RING

For bath and hand towels. Ring is $4\frac{1}{2}$ " (114 mm) wide, made of $\frac{1}{4}$ " (6 mm) diameter stainless steel bar. Projects $2\frac{1}{2}$ " (64 mm) from wall. 5" (127 mm) high.



8425 CLOTHES HOOK

Heavy-duty 11 gauge type 304 stainless steel with satin finish. Hook projects 1¼" (32 mm) from wall and is 2¼" (57 mm) high.



0714 COAT AND BUMPER HOOK

Fabricated from chrome plated brass, 3" (76 mm). Neoprene bumper protects wall surface.

0719 DOOR BUMPER

Chrome plated Zamac $2^{3}/_{6}$ " (56 mm) diameter flange. Projects $1^{7}/_{6}$ " (48 mm).



0745-Z DOUBLE ROBE HOOK

Fabricated from triple chrome plated rust-resistant

MODEL OPTION: 0740-Z Single robe hook.

Overall Dimensions: 2³/₁₆" x 1⁷/₁₆" x 1²⁹/₆₄" (56 x 37 x 37 mm)



7340 SINGLE ROBE HOOK

Fabricated from stainless steel. Hook extends 2" (51 mm) from wall.



7345 DOUBLE ROBE HOOK

4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.



7382 HAT AND COAT HOOK

Double hook made from stainless steel for both coats and hats; 2" x 7" x 3" (51 x 178 x 76 mm).



0751 HEAVY-DUTY ROBE HOOK

Concealed mounting satin chrome plated brass, projects 31/4" (84 mm).

MODEL OPTION:

0751-A Exposed mounting, satin chrome plated brass projects 31/4" (83 mm).



0785-Z TOWEL RING

Bracket formed of Zamac and towel ring formed of triple chrome plated corrosion-resistant steel.

Overall Dimensions:

6³/₈" x 1⁵/₈" (162 x 41 mm)



7301 TOWEL PIN

Fabricated from stainless steel. Extends 3½" (89 mm) from wall.

Overall Dimensions:

2" x 2" x 3¹/₂" (51 x 51 x 89 mm)



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



0002-SM STAINLESS STEEL SURFACE MOUNTED PAPER CUP DISPENSER

Dispenses 100 flat bottom cups. Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish.

MODEL OPTION:

0002-ASM A square version of the unit.

Overall Dimensions:

3" Diameter x 15" (76 x 381 mm)



7320 SOAP DISH

Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

MODEL OPTION:

0721-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

4¹/₄" x 2" x 4" (108 x 51 x 102 mm)



7335 TOOTHBRUSH AND TUMBLER HOLDER

Drawn, one-piece toothbrush holder is made of stainless steel. Has 2¼" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

MODEL OPTION:

0735-Z Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

4¹/₄" x 2" x 4" (108 x 51 x 102 mm)







7355 TOWEL BAR-ROUND

3/4" (19 mm) diameter stainless steel towel bar and stainless steel mounting bracket. Available in 18", 24" and 30" (457, 610 and 762 mm) lengths. Extends 31/4" (83 mm) from wall.

0755-SS HEAVY-DUTY STAINLESS STEEL **TOWEL BAR**

Towel bar fabricated of 1" (25 mm) O.D. x 20 gauge, type 304 stainless steel with a satin finish and designed not to turn in support posts. Support posts fabricated of heavy solid cast brass plated to have stainless steel satin finish to match stainless steel. Available in 18", 24" and 30" (457, 610 and 762 mm) lengths.

0760-Z SQUARE TOWEL BAR

18", 24", 30" and 36" (457, 610, 762 and 914 mm) long.

Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

18-36" x 1⁷/₁₆" x 3³/₁₆" (457-914 x 37 x 81 mm)



0258-SS SURFACE MOUNTED FACIAL TISSUE DISPENSER

Cabinet type 304 stainless steel, satin finish. Dispenses 300 single-ply or 150 two-ply sheets.

MODEL OPTION: 0259-SS A recessed version of the unit.

Overall Dimensions:

10½" x 5½6" x 2¾6" (260 x 135 x 55 mm)



NEW 048234 RECESSED MULTI-ROLL TOILET TISSUE DISPENSER

Holds and dispenses 4 rolls or 1800 sheets of standard toilet tissue.

Wall Opening: 173%" x 20" x 41/4" 153/4" x 183%" x 4" (441 x 508 x 108 mm) (400 x 467 x 102 mm)



0484-HC DUAL ACCESS SEAT COVER AND TOILETTISSUE DISPENSER

One side mounts flush to partition of barrier-free side to allow for grab bar. Usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

0484 Mounts centered through partition. 0485 For end-stall installation.

0486 With stainless steel collar for surface mounting.

 $17^3 \% \times 30^5 \% \times 4^1 /_2 \times$ (441 x 778 x 114 mm) **Partition Opening:** 15¹/₂" x 28⁷/₈" (394 x 733 mm) adjustable for partitions in thickness from 1/2" to 33/4" (13 to 95 mm)

SPECIALTY ACCESSOBIES





7310 TOWEL SHELF WITH TOWEL BAR

8" (203 mm) deep consisting of four %s" (10 mm) diameter stainless steel tubes, with ¼" (6 mm) diameter stainless steel towel bar below shelf, available 18" (457 mm) and 24" (610 mm). Overall height: 4¼" (110 mm).

7311 TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with ¾" (19 mm) diameter drying rod and ¾" (10 mm) diameter cross tubes in type 304 stainless steel. Bright finish only. Available 20" (508 mm) and 24" (610 mm). Overall height: 6½" (165 mm); projects 8" (203 mm).

0755-Z ROUND TOWEL BAR

Triple chrome plated rust proof Zamac brackets. Triple chrome plated steel tubing 18", 24" and 30" (457, 610 and 762 mm) long.





04813 DUAL ACCESS TOILET TISSUE DISPENSER WITH NAPKIN DISPOSAL

Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

MODEL OPTIONS:

04813-HC One side mounts flush.

04823 Holds two rolls.

04833 With stainless steel collar for surface mounting.

Unit Size:

173/8" x 20" x 41/4" (441 x 508 x 108 mm)

Partition Opening:

15¹/₂" x 18¹/₄" (394 x 464 mm) adjustable for partitions in thickness from ¹/₂" to 2" (13 to 51 mm)





0481 DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER WITH SANITARY DISPOSAL

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

MODEL OPTIONS:

0481-HC One side mounts flush. **0482** For end-stall installation.

0483 With stainless steel collar for surface mounting.

Unit Size:

17%" $\times 30\%$ " $\times 4^{1}/_{4}$ " (441 $\times 778 \times 108$ mm)

Partition Opening:

 $15^1/2'' \times 28^7/8'' \\ (394 \times 733 \text{ mm}) \text{ adjustable} \\ \text{for partitions in thickness from} \\ ^1/8'' \text{ to 2''} (13 \text{ to 51 mm})$



Toilet Tissue Dispensers

ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time.


Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable and affordably priced.

WHAT MAKES THESE DISPENSERS UNIQUE?

18-22


STAINLESS STEEL CONSTRUCTION

Our dispensers are made of stainless steel, which is tough, durable material that is stain-resistant and easy to clean.




TUMBLER LOCKS

Our tumbler locks provide convenience and security with an elegant look.



SAFE EASY DISPENSING

Dispensing and storage options vary, from single roll to multiple rolls or jumbo roll dispensers.



VIEWING SLOT

Slot in front cover of jumbo roll dispensers provides easy visual indication of remaining tissue supply.

TOILET TISSUE DISPENSERS

FEATURES

- Easy to use and clean
- Spring-loaded chrome roller may apply
- Theft-resistant spindle and vandal-resistant locking device options
- Some models have built-in storage for additional rolls

DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.





9030 SURFACE MOUNTED **DUAL ROLL TOILET TISSUE DISPENSER**

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to $5^{1/4}$ " (133 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions:

 $6" \times 12" \times 6^{1}/_{4}"$ (152 x 305 x 159 mm)





0030 SURFACE MOUNTED DUAL ROLL **TOILET TISSUE DISPENSER**

Holds two rolls up to 51/4" (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Type 304 stainless steel cabinet and mechanism. Theft-resistant spindles.

Unit Size: 6" × 12" × 6½" (152 x 305 x 165 mm)





0032 DUAL ACCESS PARTITION MOUNTED DUAL ROLL TOILET TISSUE DISPENSER STAINLESS

Serves two toilet compartments by mounting through partition. Dispenses 4 toilet tissue rolls. Adjustable to accommodate partitions from 1/2" to 11/4" thick (13 to 32 mm).

Unit Size: 14" × 141/8" × 10"

Partition Opening:

14" x 141/6" x 10" 121/6" x 121/4" x 1/2-21/2" (356 x 359 x 255 mm) (308 x 311 x 13-64 mm)





0031 RECESSED DUAL ROLL TOILET TIS-SUE DISPENSER

Similar to 0030, but provided with flange for recess mounting.

Wall Opening:

8" x 14" x 6½" 61/4" x 121/4" x 33/8" (203 x 356 x 165 mm) (159 x 311 x 86 mm)

TOILET TISSUE DISPENSERS





0039 LOW PROFILE SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 2½" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge type 304 stainless steel with a satin finish. Door is hung on heavy-duty stainless steel pivot hinges. Equipped with tumbler lock.

Overall Dimensions:

 $20\frac{1}{2}$ " x $11\frac{3}{16}$ " x $4^{11}\frac{1}{16}$ " (521 x 284 x 119 mm)





0040 SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 21/4" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge type 304 stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

Overall Dimensions:

20¹³/₁₆" x 11³/₈" x 6³/₁₆" (529 x 289 x 157 mm)





0042 SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER

Holds one roll up to 10" (254 mm) diameter of 1%" or 2%" (41 or 57 mm) diameter core. Outer cabinet is type 304 stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

Overall Dimensions:

105%" x 105%" x 4½" (270 x 270 x 114 mm)





74022-H DOUBLE TOILET TISSUE HOLDER WITH HOOD

Recessed dual roll toilet paper holder with hood is fabricated of stainless steel type 304. Rollers are made of chrome plated ABS and spring-loaded.

MODEL OPTIONS:

74022 Same as 74022-H but without hood.

7402 Single roll unit.

7402-H Single roll unit with hood.

Overall Dimensions:

125%" x 65/16" (320 x 160 mm)



0263-1 SINGLE ROLL TOILET TISSUE DISPENSER

Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6" (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey powder coated finish.

MODEL OPTION:

0264-1 Double roll toilet tissue dispenser.

Overall Dimensions:

6½" x 1¾" x 4" (165 x 45 x 102 mm)



0267 VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

Unit Size:

141/8" x 73/4" x 61/2" (359 x 197 x 175 mm)



0697-GAL STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge type 304 stainless steel satin finish with front edge hemmed. Holds two 1500 sheet toilet tissue rolls.

Overall Dimensions:

18" x 4¹³/₁₆" x 5" (457 x 106 x 127 mm)



7305-B* SURFACE MOUNTED TOILET

TISSUE HOLDER

Type 304 bright finish stainless steel with chrome plated roller. Heavy gauge concealed bracket mounts on wall. Holds standard core roll.

MODEL OPTION:

7305-S Satin finish. **7305-2S/2B** Holds 2 rolls.

7305-S/B Overall Dimensions:

 $7^{3}\!/\!_{4}" \times 2 \times 3^{7}\!/\!_{8}"$ (207 x 51 x 98 mm)

7305-2S/2B Overall Dimensions:

13½" x 2 x 3¾" (343 x 51 x 98 mm)

*For theft-resistant spindle add R-009 after model number.



0715 DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER CHROME PLATED STEEL

Provided with vandal-resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

Overall Dimensions:

12³/₈" x 2³/₄" x 4¹/₄" (314 x 70 x 108 mm)

0710 SINGLE SURFACE MOUNTED TOILETTISSUE HOLDER

Overall Dimensions:

6" x 23/4" x 41/4" (152 x 70 x 108 mm)



7403 EXTRA ROLL RECESSED TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

MODEL OPTIONS:

7403-B Rec., bright stainless steel. **7403-S** Rec., satin stainless steel.

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

Overall Dimensions:

6⁵/₁₆" x 6¹/₄" (160 x 159 mm)

TOILET TISSUE DISPENSERS



0402-Z RECESSED TOILET **TISSUE HOLDER**

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamac in seamless one-piece construction.

Wall Opening:

6¹/₄" x 6¹/₄" x 1¹/₈" (159 x 159 x 29 mm)



0477-SM SURFACE MOUNTED TOILET SEAT COVER DISPENSER

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge type 304 stainless steel with satin finish.

Overall Dimensions:

15³/₄" x 11" x 1¹/₄" (400 x 279 x 32 mm)

0477 RECESSED TOILET SEAT COVER DISPENSER

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

 $\begin{array}{lll} \textbf{Unit Size:} & \textbf{Wall Opening:} \\ 17^1/4" \times 12^3/4" \times 2^3/8" & 15^3/4" \times 11^1/4" \times 2^5/8" \\ (438 \times 324 \times 60 \text{ mm}) & (400 \times 285 \times 67 \text{ mm}) \end{array}$



20477-SM SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions:

15³/₄" x 11" x 2³/₈" (400 x 280 x 60 mm)



0705-Z TOILET PAPER HOLDER

Fabricated from triple chrome plated rust-resistant Zamac.

Overall Dimensions:

5⁷/₈" x 1⁷/₁₆" x 2³/₄" (149 x 37 x 70 mm)



7303 EXTRA ROLL TOILET TISSUE HOLDER

Extra roll of paper is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



R-009 THEFT-RESISTANT SPINDLE

Note: R009 Theft-resistant spindle is available for any toilet tissue holder indicated with an asterisk, by adding R009 suffix after model number.





EXPOSED MOUNTING

3400 Series — 11/4" (32 mm) O.D. **3500 Series** — 11/2" (38 mm) O.D.

Features include flange of 3" (76 mm) diameter, $^{1}/_{8}$ " (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.



SNAP FLANGE 3700 Series — 1¼" (32 mm) O.D. **3800 Series** — 1½" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3¹/₈" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 33/16" (81 mm) diameter.

MODEL OPTIONS: 3700-W White grab bar. 3800-W White grab bar.


GRAB BAR CONFIGURATIONS

The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

Designers Note:

For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A $1\frac{1}{2}$ " (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number — 3874. When a special size is needed add suffix "M" plus the size, to the closest standard bars. Example 2: A $1\frac{1}{2}$ " (38 mm) concealed 23" x 37" (585 x 940 mm)





Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items—including shower seats and benches, tub seats, soap dishes and shower curtain rods—are designed to ensure secure installation and easy use.

SHOWN: 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS



0398 RECESSED HEAVY-DUTY STAINLESS STEEL SOAP DISH AND BAR

Type 304 stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

Overall Dimensions: Wall Opening: (181 x 127 x 102 mm) (156 x 105 x 102 mm)

MODEL OPTIONS:

0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

0401 Same as 0400, but includes kit for installing in cement wall.



0410-Z RECESSED SOAP DISH WITH BAR

Die-cast of Zamac in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.

Wall Opening:

61/4" x 61/4" x 33/8" (159 x 159 x 86 mm)

SHOWER/TUB ACCESSORIES



7404 RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel type 304. Provided with a raised lip to retain soap.

Overall Dimensions:

6½" x 65%" x 2" (159 x 160 x 51 mm)



7410 RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge 304 stainless steel. Includes a bar, held permanently between two posts at top of unit.

Overall Dimensions:

65/16" x 61/4"x 3" (160 x 159 x 76 mm)



1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3%e" (81 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 11/a" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2438 mm); special order on longer lengths.



1214 HEAVY-DUTY SHOWER CURTAIN ROD

20 gauge, 1% (26 mm) diameter rod. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.



1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



1224 CONCEALED MOUNTING SHOWER CURTAIN ROD

Chrome plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.



1200-SHU SHOWER CURTAIN

Stainless steel hook for rods 1" (25 mm) and 11/4" (32 mm) diameter.

Size: 19/16" x 25/8" (40 x 67 mm)



1200-V VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 8 gauge white vinyl fabric with standard height of 72" (1829 mm). Curtain should be 6" (152 mm) wider than opening up to 42" (1067 mm) and 12" (305 mm) wider than opening exceeding 42" (1067 mm).



8208-R FOLDING SHOWER SEAT

Slats are fabricated with stainless steel in satin finish.

MODEL OPTION:

8208-L Similar to 8206-R, but with left hand seat.



0010 CORNER SHOWER SEAT

Seat, support brackets and retainer clip are type 304 satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket.

Size: 15³/₄" x 15³/₄" (400 x 400 mm)



8358 FOLDING TUB SEAT

1/2" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat measures 15" (387 mm) wide and projects 33³/₄" (860 mm) from wall.

SHOWER/TUB ACCESSORIES





8209 RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is white colored, black core phenolic. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat is 22½" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall.



8206-L FOLDING SHOWER SEAT

(Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22½" (581 mm) from wall.

MODEL OPTIONS:

8206-R Right hand seat.
8205-L Left hand seat with cushion covered in off-white Naugahyde.
8205-R Right hand seat with cushion covered in off-white Naugahyde.

8208-L Left hand stainless steel seat. 8208-R Right hand stainless steel seat.





8203 COMPACT FOLDING SEAT

⁵/₁₆" (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Features a self-locking mechanism. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 22", 24", 28" and 33" (order with suffix -20, -22, -23, -28 and -33)

MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde mounted on $\frac{1}{2}$ " (13 mm) thick marine grade plywood.

8207 Seat is fabricated of stainless steel, satin finish, slatted design.



8202 L-SHAPED PHENOLIC FOUR-LEG FOLD-UP SHOWER SEAT

Seat is ½" (13mm) thick solid phenolic, with white top and bottom surfaces and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Shower seat exceed ADA Accessibility Guidelines when mounted properly.



Baby Changing Stations

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?

350 Ib. capacity

LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



OPTIONAL FUNGUS-AND BACTERIA-RESISTANT PLASTIC

Our baby changing stations can be made with FDA-approved fungusand bacteria-resistant plastic.

BABY CHANGING STATIONS

FEATURES

- Easy to install
- Sanitary, safe and strong
- All units fold up; no obstruction when not in use
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.





NEW 9014 HORIZONTAL SURFACE MOUNTED PLASTIC BABY CHANGING STATION

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation.
Can be fabricated of FDA-approved fungusand bacteria-resistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 35⁵/₃₂" x 24¹/₄" x 3⁷/₈" (893 x 616 x 98 mm)

35⁵/₃₂"x 24¹/₄" x 22¹/₃₂" (893 x 616 x 560 mm)



NEW 9015 VERTICAL SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Vertical format. Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

Overall Dimensions:

Closed: 241/4" x 355/32" x 37/8" (616 x 893 x 98 mm) Open: 241/4" x 355/32" x 3215/16" (616 x 893 x 837 mm)





NEW 9018 HORIZONTAL RECESSED MOUNTED STAINLESS STEEL BABY CHANGING STATION

Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

MODEL OPTION:

9018-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions:

Closed: $39^{5}/_{32}$ " $\times~28^{1}/_{4}$ " $\times~3/_{8}$ " (995 x 718 x 10 mm) 39⁵/₃₂" x 28¹/₄" x 18¹/₈" (995 x 718 x 460 mm)

Wall Opening: 35½" x 24½" x 4" min (902 x 622 x 102 mm)



NEW 9017 VERTICAL RECESSED MOUNTED STAINLESS STEEL BABY CHANGING STATION

This vertical station has a door facing and collar made from 18 gauge 304 stainless steel. Can be fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit shall support a static load of 300 lbs. (136 kg).

MODEL OPTION:

9017-9 Surface mounted with 9" stainless steel collar.

Overall Dimensions: Wall Opening: 24½" x 35½" x 4" min Closed: 281/4" x 395/32" x 3/8" 28¹/₄" × 39⁵/₃₂" × 29³/₈" (622 x 902 x 102 mm) (718 x 994 x 10 mm) (718 x 994 x 746 mm)

BABY CHANGING STATIONS





9012 SURFACE MOUNTED BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit shall support a static load of 300 lbs. (136 kg). Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed: 36" × 22" × 4" (914 x 559 x 102 mm)

Open: 36" x 22" x 20⁷/₁₆" (914 x 559 x 519 mm)



9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

MODEL OPTION:

9013-9 Surface mounted with 9" stainless steel collar.

Wall Opening: 341/4" × 223/4" × 33/4" (870 × 578 × 95 mm) **Overall Dimensions:** Closed: Open: 37" x 251/2" x 173/4" 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)





NEW 9020 TODDLER SAFETY SEAT

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg).

Overall Dimensions:

Closed: 12½" x 21¾" x 5½" (318 x 552 x 140 mm)

Open: 12½" x 21¾" x 11½" (318 x 552 x 283 mm)



9016 RECESSED BABY CHANGER BED LINER DISPENSER

Holds up to 30 paper liners.

Wall Opening: 81/4" × 161/4" × 33/4" (210 x 413 x 95 mm)





0690 SHELF WITH RAISED EDGES

Entire unit is formed of one-piece of 18 gauge stainless steel having a $\mbox{\%}"$ (10 mm) depression with a satin finish.

See chart for standard sizes.

Model Numbers				
	0690	0692	0694	20692
Standard Sizes:	6" depth (152 mm)	5", 6" or 8" depth (127,152, 203 mm)	5" depth (127 mm)	6" depth (152 mm)
Length				
12" (305 mm)				
16" (406 mm)				
18" (457 mm)				
24" (610 mm)				
30" (762 mm)				
36" (914 mm)				
48" (1219 mm)				
60" (1524 mm)				
72" (1829 mm)				



0692 SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety.

See chart for standard sizes.



0698 FOLDING UTILITY SHELF FOR TOILET COMPARTMENTS

Fabricated of 18 gauge type 304 satin finish stainless steel with raised rim. It returns to upright position when not in use.

Overall Dimensions:

145%" x 513/16" (371 x 148 mm)



0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

Overall Dimensions: 18" x 8" x 4¹/₄" min (457 x 203 x 108 mm)

Wall Opening: 16¹/₂" x 6¹/₂" x 4" min (419 x 165 x 102 mm)



0694 SHELF WITH BACKSPLASH

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



20692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge type 304 stainless steel, the 6" wide shelf has a ¾" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions:

6" x 12"-72" (152 x 305-1829 mm)





1307-3 UTILITY HOOK STRIP WITH 3 HOOKS 26" (660mm)

Fabricated of type 304 stainless steel with satin finish, this strip is 4" (102 mm) high with edges returning $^{1}\!/_{2}$ " (13 mm) to the wall.

MODEL OPTIONS:

1307-4 With 4 hooks 36" (914 mm) long. **1307-5** With 5 hooks 46" (1168 mm) long. **1307-6** With 6 hooks 56" (1422 mm) long.



1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP HOLDERS STRIP 34" (860mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (203 mm) deep with $^{3}/_{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is $14^{1}/_{2}$ " (368 mm) high.

MODEL OPTION:

1308-4 4 mop holders/5 utility hooks, 44" (1118 mm) long.

CUSTODIAL ACCESSOBIES



1306 HEAVY-DUTY UTILITY HOOK

Heavy-duty 14 gauge stainless steel with satin finish.



0533-48 CORNER GUARD

Surface Mounted Corner Guard comes in multiple sizes and mounting options. Robust 18 gauge stainless steel protects corners and is finished with a 1/s" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications. Standard mounting is with adhesive. Optional screw mounting available on request.

Overall Dimensions: 48" x 41/4" x 41/4" (1219 x 108 x 108 mm)





8215-5 MOP AND BROOM RACKS

5 holders, 46" (1168 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

MODEL OPTIONS:

8215-3 3 holders, 26" (660 mm) long. **8215-4** 4 holders, 36" (914 mm) long.



1315-4 UTILITY SHELF WITH DRYING ROD,

4 MOP HOLDERS AND

3 RAG HOOKS, 36" (915 mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (203 mm) deep with 3/4" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included.

MODEL OPTIONS:

1315-3 3 mop holders/2 rag hooks, 30" (762 mm) long.
1315-6 6 mop holders/5 rag hooks, 48" (1219 mm) long.





Healthcare Accessories

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers.

These items include medicine cabinets, specimen and bedpan cabinets, corner guards and surgical soap dispensers. All items are designed for ease of use, safety and durability.

WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?

18-22

STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stainresistant and easy to clean.



CYLINDER LOCK

The design of our cylinder locks allows for the removal of the cylinder for sterilizing or autoclaving when necessary.



CONVENIENT PASSAGE

Our specimen pass box and cabinet enables easy access and safe handling of specimens from patient area to laboratory.



ADJUSTABLE SHELVES

The design of our cabinets offers flexibility with adjustable shelves for ease in storage and use.

HEALTHCARE ACCESSORIES

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.



0952 RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is type 304 stainless steel with satin finish. Mirror is ¼" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

Overall Dimensions: $18^{1}/_{4}$ " $\times 24^{1}/_{4}$ " $\times 4^{1}/_{2}$ " (464 x 616 x 114 mm)

MODEL OPTION: 0952-B Larger than 0952.

Overall Dimensions: $24" \times 26" \times 4^7/8"$ (610 x 660 x 124 mm) Wall Opening:

16" x 223/4" x 31/2" (406 x 578 x 89 mm)



0953 SURFACE MOUNTED STAINLESS STEEL MEDICINE CABINET

Surface mounted cabinet is made from 20 gauge stainless steel with a satin finish. Mirrored door is hung on cabinet with a full length 3/16" staked piano hinge. Cabinet has three adjustable stainless steel shelves.

Overall Dimensions: $18^{1}/_{4}$ " $\times 24^{1}/_{4}$ " $\times 4^{3}/_{4}$ " (464 x 616 x 121 mm)



8340 POWDER COATED RECESSED MEDICINE CABINET

One-piece, drawn cold rolled steel with white powder coated steel finish. Stainless steel channel framed mirrored door with 1/4" (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Three removable white enamel steel shelves.

Overall Dimensions: 18¹/₄" × 24¹/₄" × 4⁷/₈" (465 x 615 x 120 mm)

MODEL OPTION: 8338 Smaller and has two adjustable white baked enamel steel shelves. 141/8" x 203/16" x 5" (359 x 513 x 125 mm)

Wall Opening: 16" x 223/4" x 31/2" (406 x 578 x 89 mm)

8339 Larger than 8338. 163/16" x 223/16" x 5" (411 x 564 x 127 mm)




0533-48 CORNER GUARD

Surface Mounted Corner Guard comes in multiple sizes and mounting options. Robust 18 gauge stainless steel protects corners and is finished with a 1/8" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications. Standard mounting is with adhesive. Optional screw mounting available on request.

Overall Dimensions:

 $48" \times 4^{1/4}" \times 4^{1/4}"$ (1219 x 108 x 108 mm)



8154 PASS-THROUGH SPECIMEN CABINET

Provides a convenient passage from patient area into laboratory. Fabricated of 22 gauge type 304 satin finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of 13/4" to 51/2" (44 to 140 mm).

MODEL OPTIONS:

8155 Extension sleeve and flange for recessed specimen pass-through cabinet. 8156 Same as 8154 including 8155 extension sleeve.



0350 SURGICAL SOAP DISPENSER

Dispenses antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions:

3³/₈" x 6¹/₂" x 5¹/₈" (86 x 165 x 130 mm)

HEALTHCARE ACCESSORIES



NEW 0547 NARCOTICS CABINET - COMBINATION LOCK/DUAL DOORS

Security cabinet for controlled narcotic substances is surface mounted and constructed from 304 alloy 18-8 stainless steel of double wall all welded construction. Cabinet is 22 gauge and doors are 18 gauge.

Overall Dimensions:

11¹/₄" x 15" x 8¹/₄" (286 x 381 x 210 mm)



NEW 0546 SECURITY MEDICINE CABINET

Stainless steel satin finish shelves are 20 gauge with hemmed edges and are easily adjusted by owner using track clips provided. Two (2) shelves and eight (8) clips are provided.

Overall Dimensions:

30" x 30" x 12" (762 x 762 x 305 mm)



0515 TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge type 304 satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 10½" x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.



0349 FOOT OPERATED SURGICAL SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses surgical soaps, antiseptic solutions and synthetic detergents.

Overall Dimensions:

4¹/₄" x 12³/₄" x 9" (108 x 324 x 229 mm)

Spout Projection: 9" (229 mm)



0551 RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge type 304 satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with ½" (13 mm) open space across top and bottom of door to allow air circulation.

MODEL OPTION: 0558-1 RECESSED BEDPAN AND WASHBASIN CABINET Holds one

conventional type bedpan and one wash basin.



0557 SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan.

Overall Dimensions:

12" x 11" x 4⁷/₈" (305 x 279 x 124 mm)

MODEL OPTIONS: 0556 SURFACE MOUNTED BEDPAN AND URINAL RACK Larger for storing one conventional sized bedpan and one

urinal bottle.
0559 SURFACE MOUNTED DOUBLE BEDPAN

RACK Similar to 0556, but designed to hold two conventional sized bedpans.



Hospitality Accessories


ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.

WHAT MAKES OUR HOSPITALITY ACCESSORIES UNIQUE?

304 Stainless Steel

STAINLESS STEEL CONSTRUCTION

Our heavy-duty items are made of high-quality 304 stainless steel, which is tough, durable, stainresistant and easy to clean.



MINIMALISTIC, CONTEMPORARY AND CLASSIC

Different styles allow you to choose what works best to complement your washroom.



LEED®-FRIENDLY

The robust construction made of type 304 stainless steel is LEED*-friendly and fits our sensibility about longer lifecycle building designs.



REFINED LOOK, RICH FUNCTION

These accessories add a special touch to enhance the user's experience in the washroom setting.

HOSPITALITY ACCESSORIES

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean



FRAMELESS MIRRORS



STAINLESS STEEL MIRRORS

See our Mirror Collection on page 50.





7313 SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin finish stainless steel.

Overall Dimensions:

45/16" DIA x 47/8" (110 DIA x 124 mm)

7308 SINGLE ROBE HOOK

Extends 25/6" (59 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish stainless steel hook.





7316 SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish stainless steel.

Overall Dimensions:

3³⁵/₆₄" DIA x 6⁵/₈" (90 DIA x 167 mm)



7312 DOUBLE ROBE HOOK

Two hooks, set apart at 90° on center, extend 2%" (60 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish stainless steel.

HOSPITALITY ACCESSORIES



7314-H SINGLETOILET PAPER ROLL HOLDER WITH HOOD

Satin finish stainless steel hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

Overall Dimensions:

51/4" x 5" x 29/16" (133 x 127 x 65 mm)



7315-H DOUBLE TOILET PAPER ROLL **HOLDER WITH HOOD**

Double Toilet Paper Roll Holder with Hood is type 304 stainless steel alloy 18-8. All exposed surfaces have a satin finish. Roll holder bail is retained in post with concealed set screw. Hoods are captive on rod. Post is 22 gauge tubing with formed 18 gauge threaded bracket welded inside end.

Overall Dimensions:

12⁵/₃₂" x 3" x 5" (309 x 76 x 128 mm)



7314 SINGLE TOILET PAPER ROLL HOLDER

The toilet paper placed on this bail-type holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

Overall Dimensions: 53/16" × 33/6" × 23/16" (131 × 86 × 56 mm)



7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright-finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION: 7317-S Satin finish.

Overall Dimensions:

8%2" DIA x 123/4" (210 DIA x 324 mm)





7387 TOILET BRUSH AND HOLDER

Tube handle, round splash guard and storage cylinder of this wall-mounted unit are fabricated of satin finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft. 15½" (394 mm) from bottom of base to top of handle and extends 5½" (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

MODEL OPTION:

7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.

0712 SURFACE-MOUNTED RETRACTABLE **CLOTHES LINE**

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.







7383 TOWEL SHELF WITH HANGER ROD

Heavy-duty unit with 3/4" diameter type 304 stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 235%" x 3½" x 8½", x 8½" (600 x 89 x 227 mm)

7381 SUNDRIES SHELF

Type 304 stainless steel alloy of formed round wire construction and has 25/64" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

12%" x 4%16" x 3%4" (372 x 114 x 90 mm)

7322 SOAP BASKET

Type 304 stainless steel alloy of formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions: 11 15/32" × 29/32" × 61/2"

(291 x 58 x 165 mm)

HOSPITALITY ACCESSORIES



7306 TOWEL RING

Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a 3%" DIA (9.5 mm) satin finish stainless steel tube. Extends 2½" (64 mm) from wall.



1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTION:

1201-B Curved shower curtain rod with mounting brackets for opposite walls.



0259-SS RECESSED FACIAL TISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate of type 304 stainless steel satin finish.

Overall Dimensions: 11%" x 6%" x 21/4" (302 x 162 x 57 mm)



7307-18 ROUND TOWEL BAR

Satin finish stainless steel tube and posts with round mounting brackets on ends. Extends 25/8" (67 mm) from wall. 18" (457 mm) in length.

MODEL OPTION:

7307-24 Same as 7307-18, but 24" (610 mm) in length, ⁵/₈" (16 mm) DIA.



Security Accessories

ASI offers many different items that are specifically designed for settings with high security requirements. Features include design for contraband detection and clothes hooks that release when excessively loaded to deter self-harm actions.

SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING



122 SQUARE CLOTHES HOOK—REAR MOUNTING

Fabricated of 12 gauge type 304 stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

MODEL OPTION:

123 Front mounted hook.

Overall Dimensions:

 $4^{1}/4^{"} \times 4^{1}/4^{"} \times 2^{1}/4^{"}$ (108 × 108 × 57 mm)



170 RETRACTABLE SHOWER SEAT—FRONT MOUNTING

Seat folds up into cabinet. Fabricated of 12 gauge stainless steel, exposed surfaces have a satin finish. Seat has reinforced channels. Wall sub frame furnished with welded-on masonry anchors. Seat shall have a flush, stainless steel, self-latching pull handle, which is accessible when unit is closed.

Sub Frame Opening: $13^{1/2}$ " $\times 13^{1/2}$ " $\times 2^{1/2}$ "

(343 x 343 x 64 mm)



128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING


Shelf and back plate are 14 gauge stainless steel type 304 with satin finish. Hooks are 12 gauge stainless steel and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:

18" x 11" x 8" (457 x 279 x 203 mm)

SECURITY ACCESSORIES







120 CLOTHES HOOK-FRONT MOUNTING

Bracket 11 gauge, hook 7 gauge type 304 stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

Overall Dimensions:

3" x 5" x 31/16" (76 x 127 x 78 mm)

165 GRAB BAR

Tubing 18 gauge and flanges 1/8" (3 mm) thick stainless steel type 304 with satin finish. Closure plate is 1/8" (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

MODEL OPTIONS:

Rear Mounted	Length	Exposed Mounted	Length
158	18" (457)	159	18" (457)
160	24" (610)	162	30" (762)
161	30" (762)	164	36" (914)
163	36" (914)	165	24" (610)
166	42" (1067)	167	42" (1067)
168	48" (1219)	169	48" (1219)

NEW 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size: $12^5/_8" \times 15^3/_4" \times 5^4/_{16}"$ (320 x 400 x 140 mm)

Wall Opening: $12^{1}/_{4}$ " x $15^{3}/_{16}$ " x $5^{1}/_{4}$ " (311 x 386 x 133 mm)

Decibel Level: 66 dB-A @ 2M





110-1 SQUARE RECESSED TOILET TISSUE **HOLDER-REAR MOUNTING**

Fabricated of 14 gauge type 304 stainless steel with satin finish exterior, glass blasted satin finish interior 41/2" (114 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (179 mm) square.

MODEL OPTION:

110-13 Front mounted holder.



110 RECESSED TOILET TISSUE HOLDER -REAR MOUNTING

Fabricated of 16 gauge type 304 stainless steel, satin finish exterior, glass blasted satin finish interior. 41/2" (114 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

MODEL OPTION: 110-A 71/4" (184 mm) DIA

Overall Dimensions:

71/4" (184 mm) DIA





101 CHASE MOUNTED SECURITY MIRROR

Frame 14 gauge type 304 stainless steel with satin finish, corners welded and ground smooth. Unit provided with fiberboard backing and six "T" nuts welded on back for rear mounting. Specify wall thickness if greater than 6" (152 mm).

Suffix	Material	Finish
13	1/4" thick tempered glass	Polish mirror
14	20 gauge type 304 stainless steel	No. 8 mirror polish
17	1/4" thick Plexiglas	Polish mirror
31	22 gauge steel	Chrome plated

Overall Dimensions:

12" x 16" x 5%" (305 x 406 x 16 mm)

104 FRAMED MIRROR-FRONT MOUNTING

Unit consists of wall mounting plate fabricated of 7 gauge type 304 stainless steel with four countersunk mounting holes and eight tapped holes. Formed mirror fabricated of 18 gauge type 304 stainless steel with #8 mirror polish finish provided with eight dimpled holes through integral frame and ¼-20 x ¼" Torx* head screws for securing to wall mounting plate. For 20 gauge No. 8 mirror polish finish specify option by adding suffix to Model No. (e.g., 104-14).

Overall Dimensions:

10½6" x 11½6" x ½6" (256 x 294 x 11 mm)





105 SURFACE MOUNTED SECURITY FRAMED MIRROR

Frame 14 gauge type 304 stainless steel with satin finish, corners welded and ground smooth. Front mounting furnished with Torx* vandal-resistant $\frac{1}{4}$ -20" x 2 (150 mm) machine screws.

Suffix	Material	Finish
13	1/4" thick tempered glass	Polish mirror
14	20 gauge type 304 stainless steel	No. 8 mirror polish
17	1/4" thick Plexiglas	Polish mirror
31	22 gauge steel	Chrome plated

Overall Dimensions:

12" x 16" x 5%" (305 x 406 x 16 mm)

129 CLOTHES/TOWEL HOOK STRIP—FRONT MOUNTING

Fabricated of 14 gauge stainless steel type 304 with satin finish. Hooks snap down for safety if excessively loaded. Six holes through back for front mounting.

Overall Dimensions:

18" x 5½" x 2½" (457 x 140 x 57 mm)

SECURITY ACCESSORIES





127 CLOTHES/TOWEL HOOK STRIP-FRONT MOUNTING

Wall plate 14 gauge with beveled edges, 11 gauge brackets and four 7 gauge hooks. Stainless steel type 304 with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

Overall Dimensions:

18" x 5½" x 3" (457 x 140 x 76 mm)

130 RECESSED SHELF—REAR MOUNTING

Shelf 16 gauge type 304 stainless steel, corners welded and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

Overall Dimensions:

18" x 7" x 4" (457 x 178 x 102 mm)

Wall Opening:

5¹/₂" x 16¹/₂" (141 x 419 mm)





140 REAR MOUNTING RECESSED SOAP DISH

Soap dish 16 gauge stainless steel type 304 with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

Overall Dimensions:

7%" x 6" x 3" (187 x 152 x 76 mm)

Wall Opening:

6¹/₂" x 5 x 2³/₄" min (165 x 127 x 70 mm)

107 ONE-PIECE FRAMED MIRROR WITH ROUNDED CORNERS—FRONT MOUNTING

One-piece 18 gauge type 304 stainless steel formed mirror with #8 mirror polish finish, integral frame, rounded corners and six mounting holes.

Overall Dimensions:

12" x 16" x ½" (305 x 406 x 6 mm)

BABY	CHANG	SING
STAT	IONS	

Page 75
16/75
16/72/75
74
74
75
74
74
74
74
75

CUSTODIAL ACCESSORIES

Model 0533-48	Page 79/82
1306	70,02
1307-3	78
1307-4	78
1307-5	78
1307-6	78
1308-3	78
1308-4	78
1315-3	78/79
1315-4	79
1315-6	79
8215-3	79
8215-4	79
8215-5	79

FEMININE HYGIENE VENDORS AND DISPOSALS

AND DISPUSALS		
Model	Page	
0464	53	
0468	53/54	
0468-2	54	
04684	54	
0472	55	
0472-1	55	
0473	55	
0473-1	55	
0473-A	55	
0473-1A	55	
0852	55	
0864	53	
20470	14/55	
204684	16/54	
204684-9	16/54	
20852	14/55	
6468	31/53	
64684	31/53	
6471	31/54	
9468	22	
94684	22	
9471	23/54	

GRAB BARS

Page
66
66
66
66
67
67

HAND DRYERS

Model	Page
0134	28/44
0141	45
0185-93	45
0195	45
0197	44
0198-93	44
0198-MH	28/44/91
0199-93	44
20199	17/44
20200	17/42/43
20201	17/43
64672	27/45
64672-1	27/45

HEALTHCARE

ACCESSORIES		
Model	Page	
0349	83	
0350	82	
0515	80/83	
0533-48	79/82	
0546	83	
0547	83	
0551	83	
0556	83	
0557	83	
0558-1	83	
0559	83	
0952	82	
0952-B	82	
0953	82	
8154	82	
8155	82	
8156	82	
8338	82	
8339	82	
8340	82	

HOSPITALITY **ACCESSORIES**

Madal

Model	Page
0259-SS	58/89
0712	57/88
1201-A	68/69/89
1201-B	69/89
7306	89
7307-18	89
7307-24	89
7308	86
7312	86
7313	86
7314	87
7314-H	87
7315-H	87
7316	86
7317	87
7317-S	87
7322	88
7381	88
7383	84/88
7387	88
7388	88
20650	17/50/52

WIIKKUKS	
Model	Page
0535	50/51
0537	50
0600	50/51
0600T	50/51
0605	50/52
0620	50/52
0625	50/52
20650	17/50/52
20650-B	50
20655	17/50/52
20655-B	50
8026	50/51
2227	52

PAPER TOWEL **DISPENSERS**

Model	Page
0210	39
0215	39
0245-SS	39
0439	39
0452	38
0452-9	38
0457	38
0457-9	38
045210A	38
045224	38
045224A	38
1002	41
20210	15
20452	15
204523A	15
6452	30
6452-9	30
6457	30
8165	39
8522	39
8523A	39 39
8523AC 8523A-SR4	39 39
8523AC-SR4 9452	39 22
9452 9457	22
945 <i>7</i> 94696	22
94696A	21
HUSUM	21

PAPER TOWEL DISPENSERS & WASTE RECEPTACLES

Page 34 34

94696A

Model

0462-AD 0462-AD-9

0462-AD-9	34
0467	36
0467-2	36
0467-9	36
0469	32/34
0469-2	34
0469-9	34
0469-BL	
	34
04692	35
04692A	35
046921	37
046921A	37
046924	37
046924A	37
046926	36
04697	35
04697-4	35
04697-9	35
04697-BL	35
1001	41
204623	12
204623-9	12
20469	10/12
20469-9	12
204692A	13
2046921A	13
645210A	29
6462	26
6462-2	26
6462-9	26
64623	28
64623-9	28
6467	24/26
6467-9	26
64672	27/45
64672-1	27/45
64672-2	27/45
64676	27
64676-2	27
64676-9	27
64696	29
	29
64696-6	
64696-9	29
64696A	29
9462	20
94623	22
9467	21
94676	21
9469	18/20

9469

18/20

SECURITY ACCESSORIES

Model	Page
101	92
101-13	92
101-14	92
101-17	92
101-31	92
104	92
105	92
105-13	92
105-14	92
105-17	92
105-31	92
107	93
110	91
110-1	91
110-A	91
120	91
122	90
127	93
128-1	90
129	92
130	93
140	93
158	91
159	91
160	91
161	91
162	91
163	91
164	91
165	91
166	91
167	91
168	91
169	91
170	90

SHELVES	
Model	Page
0412	77
0690	76
0692	76/77
0694	76/77
0698	77
20692	17/76/77

SHOWER/TUB **ACCESSORIES**

8208-L 70/71 8208-R 70/71 8209 71
--

SOAP DISPENSERS Model Page

Vlodel	Page
0326	48
0332	49
0332-C	49
0332-CD	49
0332-D	49
0345	49
0347	49
0349	83
0350	82
0360	48
0361	48
0362	48
0390	47
0390-1A	47
0390-1AC	47
0390-6-1A	47
0390-6-1A	C 47
0390-ARK	47
0390-BR	47
0390-R	47
0391-1A	47
0391-1AC	47
0391-6-1A	47
0391-6-1A	
0393-1A	47
0393-6-1A	47
0393-1AC	47
0393-6-1A	
0393-R	47
0394-1A	47
0394-1A	47
0394-1AC	46/47
0394-6-1A	47
0394-6-1A	
20333	48
20363	49
20364	49
20365	49
5001-SS	48
5002	48
5326	31
9326	23
9343	16/23/49

SPECIALTY

ACCESSORIES				
Model	Page			
0002-SM	57			
0002-ASM	57			
0258-SS	58			
0259-SS	58/89			
0481	59			
0481-HC	59			
04813	59			
04813-HC	59			
0482	59			
04823	59			
048234	58			
0483	59			
04833	59			
0484	58			
0484-HC	58			
0485	58			
0486	58			
0712	57/88			
0714	56			
0719	56			
0721-Z	57			
0735-Z	57			
0740-Z	56			
0745-Z	56			
0751	57			
0751-A	57			
0755-SS	58			
0755-Z 0760-Z	59 58			
0785-Z	56/57			
7301	56/57			
7310	57 59			
7310	59 59			
7320	59 57			
7335	57 57			
7000	J/			

7340

7345

56

56

7355 58 7382 57 7385 56 8425 56

TOILET TISSUE DISPENSERS

DIOI ENOEMO	,
Model	Page
0030	62
0031	62
0032	62
0039	63
0040	63
0042	63
0263-1	64
0264-1	64
0267	64
0402-Z	65
0477	65
0477-SM	65
0697-GAL	64
0705-Z	65
0710	64
0715	64
20030	15
20031	15
20477-SM	16/65
6477	31
7303	65
7305-2B	64
7305-2S	64
7305-B	64
7305-S	64
7402	63
7402-H	63
74022	63
74022-H	60/63
7403	64 64
7403-B 7403-S	64
7403-S 9030	
9030	23/62 23
9477	23
9477 9477-SM	23
R-009	64/65
ก-บบฮ	04/05

WASTE RECEPTACLES

RECEPTACE	.ES
Model	Page
4004	41
0458	38
0458-9	38
04733	38
0810	40
0811	40
0812	40
0813	40
0825	40
0826	40
0827	40
0828	40
0829	40
1000	41
1000A	41
1003	41
20458	14
20826	14
20826-T	14
6459	30
6474	30
6474-2	30
9459	22
94623	22
94696	21
94696A	21
9474	22

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL PAGE
0002-SM	57	045224AC	38	0556	83	1307-3	78	64623-9	28	8215-3 79
0002-SW	57	045224AC		0557	83	1307-4	78 78	6467	24/26	8215-4 79
0010	70	045224AC-9		0558-1	83	1307-5	78	6467-9	26	8215-5 79
0030	62	0457	38	0559	83	1307-6	78	64672	27/45	8287 52
0031	62	0457-9	38	0600	50/51	1308-3	78	64672-1	27/45	8338 82
0032	62	0458	38	0600T	50/51	1308-4	78	64672-2	27/45	8339 82
0039	63	0458-9	38	0605	50/52	1315-3	78/79	64676	27	8340 82
0040	63	0462-AD	34	0620	50/52	1315-4	79	64676-2	27	8358 70
0042	63	0462-AD-9	34	0625	50/52	1315-6	79	64676-9	27	8425 56
0134	28/44	0464	53	0690	76	20030	15	6468	31/53	8522 39
0141	45	0467	36	0692	76/77	20031	15	64684	31/53	8523A 39
0185-93	45	0467-2	36	0694	76/77	20199	17/44	64696	29	8523AC 39
0195	45	0467-9	36	0697-GAL			17/42/43	64696-6	29	8523A-SR4 39
0197	44	0468	53/54	0698	77	20201	17/43	64696-9	29	8523AC-SR4 39
0198-93	44	0468-2	54	0705-Z	65	20210	15	64696A	29	9012 75
0198-MH 2 0199-93	44	04684	54 32/34	0710 0712	64 57/88	20333 20363	48 49	64696A-6 64696A-9	29 29	9013 16/75 9013-9 16/72/75
		0469								
0210	39	0469-2	34	0714	56	20364	49	64696AC	29	9014 74
0215 0245-SS	39 39	0469-9 0469-BL	34 34	0715 0719	64 56	20365 20452	49 15	64696AC-6 64696AC-9	29 29	9015 74 9016 75
0258-SS 0259-SS	58 58/89	04692 04692-6	35 35	0721-Z 0735-Z	57 57	204523A 204523A-6	15 15	6471 6474	31/54 30	9017 74 9017-9 74
0259-55 0263-1	64	04692-6	35 35	0735-Z 0740-Z	57 56	204523A-6 204523A-9	15	6474-2	30	9017-9 74
0263-1	64	04692-9 04692A	35	0745-Z	56	204523A-9 204523AC	15	6474-2	31	9018-9 74
0264-1	64	04692A 04692A-6	35 35	0745-2	56 57	204523AC-		7301	57	9018-9 74 9020 75
0326	48	04692A-6 04692A-9	35	0751-A	57 57	204523AC-		7301	65	9030 23/62
0320	49	04692AC	35	0751-A	58	204523AC-	1 5	7305-2B	64	9031 23
0332-C	49	04692AC-6	35	0755-33 0755-Z	59	204623	12	7305-2B 7305-2S	64	9326 23
0332-CD	49	04692AC-9	35	0755-Z 0760-Z	58	204623	12	7305-25 7305-B	64	9343 16/23/49
0332-0D 0332-D	49	046921	37	0785-Z	56/57	204684	16/54	7305-S	64	9452 22
0332-5	49	046921-6	37	0810	40	204684-9	16/54	7306	89	9457 22
0347	49	046921-9	37	0811	40	20469	10/12	7307-18	89	9459 22
0349	83	046921A	37	0812	40	20469-9	12	7307-16	89	9462 20
0350	82	046921A-6	37	0813	40	204692A	13	7308	86	94623 22
0360	48	046921A-9	37	0825	40	204692A-6	13	7310	59	9467 21
0361	48	046921AC	37	0826	40	204692A-9	13	7311	59	94676 21
0362	48	046921AC-6		0827	40	204692AC	13	7312	86	9468 22
0390	47	046921AC-9		0828	40	204692AC-		7313	86	94684 22
0390-1A	47	046924	37	0829	40	204692AC-		7314	87	9469 18/20
0390-1AC	47	046924-6	37	0852	55	2046921A	13	7314-H	87	94696 21
0390-6-1A	47	046924-9	37	0864	53	2046921A-0		7315-H	87	94696A 21
0390-6-1AC		046924A	37	0952	82	2046921A-9		7316	86	94696A-6 21
0390-ARK	47	046924A-6	37	0952-B	82	2046921AC		7317	87	94696A-9 21
0390-BR	47	046924A-9	37	0953	82	2046921AC		7317-S	87	94696AC 21
0390-R	47	046924AC	37	101	92	2046921AC		7320	57	94696AC-6 21
0391-1A	47	046924AC-6	37	101-13	92	20470	14/55	7322	88	94696AC-9 21
0391-1AC	47	046924AC-9	37	101-14	92	20477-SM	16/65	7335	57	9471 23/54
0391-6-1A	47	046926	36	101-17	92	20650	17/50/52	7340	56	9474 22
0391-6-1AC	47	04697	35	101-31	92	20650-B	50	7345	56	9477 23
0393-1A	47	04697-4	35	104	92	20655	17/50/52	7355	58	9477-SM 23
0393-6-1A	47	04697-9	35	105	92	20655-B	50	7381	88	R-009 64/65
0393-1AC	47	04697-BL	35	105-13	92	20692	17/76/77	7382	57	
0393-6-1AC		0472	55	105-14	92	20826	14	7383	84/88	
0393-R	47	0472-1	55	105-17	92	20826-T	14	7385	56	
0394-1A	47	0473	55	105-31	92	20852	14/55	7387	88	
0394-1A	47	0473-1	55	107	93	3400 SERIE		7388	88	
0394-1AC	46/47	0473-A	55	110	91	3500 SERIE		7402	63	
0394-6-1A	47	0473-1A	55	110-1	91	3700 SERIE		7402-H	63	
0394-6-1AC		04733	38	110-A	91	3700-W	66 66	74022	63	
0398	68	0477	65 65	120	91	3800 SERIE		74022-H	60/63	
0399	68	0477-SM	65	122	90	3800-W	66	7403 7403 B	64	
0400	68	0481	59 50	127	93	3874	67 • 67	7403-B	64	
0401 0402-Z	68 65	0481-HC 04813	59 59	128-1 129	90 92	3874-M233 4004	7 67 41	7403-S 7404	64 69	
0402-Z 0410-Z	68	04813-HC	59 59	130	93	5001-SS	48	7410	69	
0410-2	77	0482	59	140	93	5001-33	48	8026	50/51	
0439	39	04823	59 59	165	91	6326	31	8154	82	
0452	38	048234	58	170	90	6452	30	8155	82	
0452-9	38	0483	59	1000	41	645210A	29	8156	82	
0452-9 045210A	38	04833	59	1000 1000A	41	645210A-6		8165	39	
045210A	38	0484	58	10007	41	645210A-9		8202	71	
045210A-9	38	0484-HC	58	1002	41	645210AC	29	8203	71	
045210AC	38	0485	58	1002	41	645210AC-		8204	71	
045210AC-6		0486	58	1200-SHL		645210AC-		8205-L	71	
045210AC-9		0515	80/83	1200-V	70 70	6452-9	30	8205-R	71	
045224	38	0533-48	79/82	1201-A	68/69/89	6457	30	8206-L	71	
045224-6	38	0535	50/51	1201-B	69/89	6459	30	8206-R	70/71	
045224-9	38	0537	50	1204	69	6462	26	8207	71	
045224A	38	0546	83	1214	69	6462-2	26	8208-L	70/71	
045224A-6	38	0547	83	1224	70	6462-9	26	8208-R	70/71	
045224A-9	38	0551	83	1306	79	64623	28	8209	71	
		I .		1		I .		1		



441 Saw Mill River Rd., Yonkers, NY 10701 914.476.9000 • americanspecialties.com

© 2016 American Specialties, Inc., an ASI Group Company